

```

GET
FILE='C:\Users\野夫\Desktop\1\Measure.sav'.
DATASET NAME 数据集1 WINDOW=FRONT.
NONPAR CORR
/VARIABLES=NDI1 CL1
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

Nonparametric Correlations

Notes

Output Created	27-OCT-2019 23:42:13	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\Measure.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	260
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	NONPAR CORR /VARIABLES=NDI1 CL1 /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\Measure.sav

Correlations

			NDI1	CL1
Spearman's rho	NDI1	Correlation Coefficient	1.000	-.147*
		Sig. (2-tailed)	.	.033
		N	212	212
	CL1	Correlation Coefficient	-.147*	1.000
		Sig. (2-tailed)	.033	.
		N	212	212

*. Correlation is significant at the 0.05 level (2-tailed).

```

/VARIABLES=NDI1 TS1
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

Nonparametric Correlations

Notes

Output Created	27-OCT-2019 23:42:26	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\Measure.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	260
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	NONPAR CORR /VARIABLES=NDI1 TS1 /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\Measure.sav

Correlations

			NDI1	TS1
Spearman's rho	NDI1	Correlation Coefficient	1.000	-.106
		Sig. (2-tailed)	.	.123
		N	212	212
	TS1	Correlation Coefficient	-.106	1.000
		Sig. (2-tailed)	.123	.
		N	212	212

```

NONPAR CORR
/VARIABLES=NDI1 SVA1
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

Nonparametric Correlations

Notes

Output Created	27-OCT-2019 23:42:40	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\Measure.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	260
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	<pre>NONPAR CORR /VARIABLES=NDI1 SVA1 /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.</pre>	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\Measure.sav

Correlations

			NDI1	SVA1
Spearman's rho	NDI1	Correlation Coefficient	1.000	.157*
		Sig. (2-tailed)	.	.022
		N	212	212
	SVA1	Correlation Coefficient	.157*	1.000
		Sig. (2-tailed)	.022	.
		N	212	212

*. Correlation is significant at the 0.05 level (2-tailed).

```
NONPAR CORR
/VARIABLES=NDI1 TSminusCL1
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created	27-OCT-2019 23:42:52	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\Measure.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	260
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	<pre>NONPAR CORR /VARIABLES=NDI1 TSminusCL1 /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.</pre>	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.02
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\Measure.sav

Correlations

			NDI1	TSminusCL1
Spearman's rho	NDI1	Correlation Coefficient	1.000	.074
		Sig. (2-tailed)	.	.281
		N	212	212
	TSminusCL1	Correlation Coefficient	.074	1.000
		Sig. (2-tailed)	.281	.
		N	212	212

```
NONPAR CORR
/VARIABLES=NDI1 SCA1
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created	27-OCT-2019 23:43:34	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\Measure.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	260
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	<pre>NONPAR CORR /VARIABLES=NDI1 SCA1 /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.</pre>	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\Measure.sav

Correlations

			NDI1	SCA1
Spearman's rho	NDI1	Correlation Coefficient	1.000	.111
		Sig. (2-tailed)	.	.108
		N	212	212
	SCA1	Correlation Coefficient	.111	1.000
		Sig. (2-tailed)	.108	.
		N	212	212

```
NONPAR CORR
/VARIABLES=NDI1 NT1
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created	27-OCT-2019 23:43:48	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\Measure.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	260
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	<pre>NONPAR CORR /VARIABLES=NDI1 NT1 /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.</pre>	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\Measure.sav

Correlations

			NDI1	NT1
Spearman's rho	NDI1	Correlation Coefficient	1.000	.055
		Sig. (2-tailed)	.	.425
		N	212	212
	NT1	Correlation Coefficient	.055	1.000
		Sig. (2-tailed)	.425	.
		N	212	212

```
NONPAR CORR
/VARIABLES=NDI1 TIA1
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created	27-OCT-2019 23:43:58	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\Measure.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	260
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	<pre>NONPAR CORR /VARIABLES=NDI1 TIA1 /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.</pre>	
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\Measure.sav

Correlations

			NDI1	TIA1
Spearman's rho	NDI1	Correlation Coefficient	1.000	.024
		Sig. (2-tailed)	.	.730
		N	212	212
	TIA1	Correlation Coefficient	.024	1.000
		Sig. (2-tailed)	.730	.
		N	212	212

```
NONPAR CORR
/VARIABLES=NDI CL
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created	27-OCT-2019 23:44:27	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\Measure.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	260
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	<pre>NONPAR CORR /VARIABLES=NDI CL /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.</pre>	
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.02
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\Measure.sav

Correlations

			NDI	CL
Spearman's rho	NDI	Correlation Coefficient	1.000	-.222**
		Sig. (2-tailed)	.	.001
		N	212	212
	CL	Correlation Coefficient	-.222**	1.000
		Sig. (2-tailed)	.001	.
		N	212	212

** . Correlation is significant at the 0.01 level (2-tailed).

```
NONPAR CORR
/VARIABLES=NDI SVA
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created	27-OCT-2019 23:44:38	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\Measure.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	260
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	<pre>NONPAR CORR /VARIABLES=NDI SVA /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.</pre>	
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\Measure.sav

Correlations

			NDI	SVA
Spearman's rho	NDI	Correlation Coefficient	1.000	.498**
		Sig. (2-tailed)	.	.000
		N	212	212
	SVA	Correlation Coefficient	.498**	1.000
		Sig. (2-tailed)	.000	.
		N	212	212

** . Correlation is significant at the 0.01 level (2-tailed).

```
NONPAR CORR
/VARIABLES=NDI TS
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created	27-OCT-2019 23:44:52	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\Measure.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	260
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	<pre>NONPAR CORR /VARIABLES=NDI TS /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.</pre>	
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.02
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\Measure.sav

Correlations

			NDI	TS
Spearman's rho	NDI	Correlation Coefficient	1.000	-.014
		Sig. (2-tailed)	.	.844
		N	212	212
	TS	Correlation Coefficient	-.014	1.000
		Sig. (2-tailed)	.844	.
		N	212	212

```
NONPAR CORR
/VARIABLES=NDI TS 减CL
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created	27-OCT-2019 23:45:08	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\Measure.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	260
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	<pre>NONPAR CORR /VARIABLES=NDI TS减CL /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.</pre>	
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\Measure.sav

Correlations

			NDI	TS减CL
Spearman's rho	NDI	Correlation Coefficient	1.000	.165*
		Sig. (2-tailed)	.	.016
		N	212	212
	TS减CL	Correlation Coefficient	.165*	1.000
		Sig. (2-tailed)	.016	.
		N	212	212

*. Correlation is significant at the 0.05 level (2-tailed).

```
NONPAR CORR
/VARIABLES=NDI SCA
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created	27-OCT-2019 23:45:17	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\Measure.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	260
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	<pre>NONPAR CORR /VARIABLES=NDI SCA /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.</pre>	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.02
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\Measure.sav

Correlations

			NDI	SCA
Spearman's rho	NDI	Correlation Coefficient	1.000	.027
		Sig. (2-tailed)	.	.700
		N	212	212
	SCA	Correlation Coefficient	.027	1.000
		Sig. (2-tailed)	.700	.
		N	212	212

```
NONPAR CORR
/VARIABLES=NDI NT
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created	27-OCT-2019 23:45:24	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\Measure.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	260
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	<pre>NONPAR CORR /VARIABLES=NDI NT /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.</pre>	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\Measure.sav

Correlations

			NDI	NT
Spearman's rho	NDI	Correlation Coefficient	1.000	-.012
		Sig. (2-tailed)	.	.864
		N	212	212
	NT	Correlation Coefficient	-.012	1.000
		Sig. (2-tailed)	.864	.
		N	212	212

```
NONPAR CORR
/VARIABLES=NDI TIA
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created		27-OCT-2019 23:45:38
Comments		
Input	Data	C:\Users\野夫\Desktop\1\Measure.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	260
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		NONPAR CORR /VARIABLES=NDI TIA /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\Measure.sav

Correlations

			NDI	TIA
Spearman's rho	NDI	Correlation Coefficient	1.000	.070
		Sig. (2-tailed)	.	.311
		N	212	212
	TIA	Correlation Coefficient	.070	1.000
		Sig. (2-tailed)	.311	.
		N	212	212

LOGISTIC REGRESSION VARIABLES NDIc
/METHOD=ENTER CL SVA TS减CL gender age BMI segment fixation diabete smoke drink duration
/CRITERIA=PIN(0.05) POUT(0.10) ITERATE(20) CUT(0.5).

Logistic Regression

Notes

Output Created	27-OCT-2019 23:49:07	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\Measure.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	260
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing
Syntax	LOGISTIC REGRESSION VARIABLES NDI c /METHOD=ENTER CL SVA TS减 CL gender age BMI segment fixation diabete smoke drink duration /CRITERIA=PIN(0.05) POUT(0.10) ITERATE(20) CUT(0.5).	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.04

[数据集1] C:\Users\野夫\Desktop\1\Measure.sav

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	212	81.5
	Missing Cases	48	18.5
	Total	260	100.0
Unselected Cases		0	.0
Total		260	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
0	0
1	1

Block 0: Beginning Block

Classification Table^{a,b}

Observed		Predicted		
		NDIc		Percentage Correct
		0	1	
Step 0	NDIc	0	1	
		185	0	100.0
		27	0	.0
Overall Percentage				87.3

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	-1.925	.206	87.266	1	.000	.146

Variables not in the Equation

	Score	df	Sig.	
Step 0 Variables	CL	14.645	1	.000
	SVA	44.374	1	.000
	TS减CL	9.042	1	.003
	gender	7.869	1	.005
	age	1.299	1	.254
	BMI	.000	1	.992
	segment	.119	1	.730
	fixation	1.162	1	.281
	diabete	.503	1	.478
	smoke	.001	1	.976
	drink	.222	1	.638
	duration	2.359	1	.125
Overall Statistics		64.966	12	.000

Block 1: Method = Enter

Omnibus Tests of Model Coefficients

	Chi-square	df	Sig.
Step 1 Step	72.935	12	.000
Block	72.935	12	.000
Model	72.935	12	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	88.751 ^a	.291	.546

a. Estimation terminated at iteration number 7 because parameter estimates changed by less than .001.

Classification Table^a

Observed		Predicted		
		NDIc		Percentage Correct
		0	1	
Step 1	NDIc	0	1	
		181	4	97.8
		15	12	44.4
Overall Percentage				91.0

a. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 1 ^a						
CL	-.148	.068	4.751	1	.029	.863
SVA	.337	.074	20.718	1	.000	1.401
TS减CL	-.025	.056	.207	1	.649	.975
gender	2.153	.905	5.663	1	.017	8.614
age	-.015	.931	.000	1	.987	.985
BMI	-.181	.642	.079	1	.778	.835
segment	.250	.919	.074	1	.785	1.284
fixation	-.759	.923	.675	1	.411	.468
diabete	1.382	.791	3.053	1	.081	3.982
smoke	.373	.868	.184	1	.668	1.451
drink	-1.003	1.461	.471	1	.492	.367
duration	1.181	.631	3.507	1	.061	3.259
Constant	-7.766	2.040	14.492	1	.000	.000

a. Variable(s) entered on step 1: CL, SVA, TS减CL, gender, age, BMI, segment, fixation, diabete, smoke, drink, duration.