

```
GET
FILE='C:\Users\野夫\Desktop\1\4组参数比.sav'.
DATASET NAME 数据集1 WINDOW=FRONT.
ONEWAY CL BY group
/STATISTICS DESCRIPTIVES HOMOGENEITY
/MISSING ANALYSIS
/POSTHOC=T3 DUNNETT (1) ALPHA(0.05).
```

Oneway

Notes

Output Created	27-OCT-2019 22:09:37	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\4组参数比较.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	848
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on cases with no missing data for any variable in the analysis.
Syntax	ONEWAY CL BY group /STATISTICS DESCRIPTIVES HOMOGENEITY /MISSING ANALYSIS /POSTHOC=T3 DUNNETT (1) ALPHA(0.05).	
Resources	Processor Time	00:00:00.28
	Elapsed Time	00:00:00.33

[数据集1] C:\Users\野夫\Desktop\1\4组参数比.sav

Descriptives

CL

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean	
					Lower Bound	Upper Bound
1	212	10.60	9.894	.680	9.26	11.94
2	212	13.97	8.420	.578	12.83	15.11
3	212	15.45	7.113	.489	14.49	16.42
4	212	15.11	7.180	.493	14.14	16.09
Total	848	13.78	8.437	.290	13.22	14.35

&[页面标题]

Descriptives

CL

	Minimum	Maximum
1	-24	33
2	-3	32
3	-5	29
4	-5	29
Total	-24	33

Test of Homogeneity of Variances

CL

Levene Statistic	df1	df2	Sig.
9.473	3	844	.000

ANOVA

CL

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	3116.211	3	1038.737	15.335	.000
Within Groups	57171.297	844	67.739		
Total	60287.508	847			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: CL

		Mean Difference (I- J)	Std. Error	Sig.	95% ...	
(I) group	(J) group				Lower Bound	
Dunnett T3	1	2	-3.363*	.892	.001	-5.72
		3	-4.849*	.837	.000	-7.06
		4	-4.509*	.840	.000	-6.73
	2	1	3.363*	.892	.001	1.00
		3	-1.486	.757	.266	-3.49
		4	-1.146	.760	.572	-3.16
	3	1	4.849*	.837	.000	2.64
		2	1.486	.757	.266	-.52
		4	.340	.694	.997	-1.49
	4	1	4.509*	.840	.000	2.29
		2	1.146	.760	.572	-.86
		3	-.340	.694	.997	-2.17
Dunnett t (2-sided) ^b	2	1	3.363*	.799	.000	1.48
	3	1	4.849*	.799	.000	2.97
	4	1	4.509*	.799	.000	2.63

Multiple Comparisons

Dependent Variable: CL

		95% ...	
(I) group	(J) group	Upper Bound	
Dunnett T3	1	2	-1.00
		3	-2.64
		4	-2.29
	2	1	5.72
		3	.52
		4	.86
	3	1	7.06
		2	3.49
		4	2.17
	4	1	6.73
		2	3.16
		3	1.49
Dunnett t (2-sided) ^b	2	1	5.24
	3	1	6.73
	4	1	6.39

*. The mean difference is significant at the 0.05 level.

b. Dunnett t-tests treat one group as a control, and compare all other groups against it.

ONEWAY T1S BY group
 /STATISTICS DESCRIPTIVES HOMOGENEITY
 /MISSING ANALYSIS

Oneway

Notes

Output Created	27-OCT-2019 22:10:50	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\4组参数比较.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	848
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on cases with no missing data for any variable in the analysis.
Syntax	ONEWAY T1S BY group /STATISTICS DESCRIPTIVES HOMOGENEITY /MISSING ANALYSIS /POSTHOC=T3 DUNNETT (1) ALPHA(0.05).	
Resources	Processor Time	00:00:00.28
	Elapsed Time	00:00:00.29

[数据集1] C:\Users\野夫\Desktop\1\4组参数比较.sav

Descriptives

T1S

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean	
					Lower Bound	Upper Bound
1	212	21.30	6.766	.465	20.38	22.21
2	212	19.31	6.729	.462	18.40	20.22
3	212	22.08	5.466	.375	21.34	22.82
4	212	22.97	5.505	.378	22.22	23.71
Total	848	21.41	6.286	.216	20.99	21.84

&[页面标题]

Descriptives

T1S

	Minimum	Maximum
1	4	43
2	5	41
3	10	38
4	13	39
Total	4	43

Test of Homogeneity of Variances

T1S

Levene Statistic	df1	df2	Sig.
6.609	3	844	.000

ANOVA

T1S

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	1551.126	3	517.042	13.674	.000
Within Groups	31912.590	844	37.811		
Total	33463.716	847			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: T1S

	(I) group	(J) group	Mean Difference (I-J)	Std. Error	Sig.	95% ...
						Lower Bound
Dunnett T3	1	2	1.991 *	.655	.015	.26
		3	-.788	.597	.712	-2.37
		4	-1.670 *	.599	.033	-3.25
	2	1	-1.991 *	.655	.015	-3.72
		3	-2.778 *	.595	.000	-4.35
		4	-3.660 *	.597	.000	-5.24
	3	1	.788	.597	.712	-.79
		2	2.778 *	.595	.000	1.20
		4	-.882	.533	.462	-2.29
	4	1	1.670 *	.599	.033	.09
		2	3.660 *	.597	.000	2.08
		3	.882	.533	.462	-.53
Dunnett t (2-sided) ^b	2	1	-1.991 *	.597	.003	-3.40
	3	1	.788	.597	.410	-.62
	4	1	1.670 *	.597	.015	.26

Multiple Comparisons

Dependent Variable: T1S

	(I) group	(J) group	95% ...
			Upper Bound
Dunnett T3	1	2	3.72
		3	.79
		4	-.09
	2	1	-.26
		3	-1.20
		4	-2.08
	3	1	2.37
		2	4.35
		4	.53
	4	1	3.25
		2	5.24
		3	2.29
Dunnett t (2-sided) ^b	2	1	-.59
	3	1	2.19
	4	1	3.08

*. The mean difference is significant at the 0.05 level.

b. Dunnett t-tests treat one group as a control, and compare all other groups against it.

ONEWAY SVA BY group
 /STATISTICS DESCRIPTIVES HOMOGENEITY
 /MISSING ANALYSIS

Oneway

Notes

Output Created	27-OCT-2019 22:13:28	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\4组参数比较.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	848
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on cases with no missing data for any variable in the analysis.
Syntax	ONEWAY SVA BY group /STATISTICS DESCRIPTIVES HOMOGENEITY /MISSING ANALYSIS /POSTHOC=T3 DUNNETT (1) ALPHA(0.05).	
Resources	Processor Time	00:00:00.28
	Elapsed Time	00:00:00.27

[数据集1] C:\Users\野夫\Desktop\1\4组参数比较.sav

Descriptives

SVA

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean	
					Lower Bound	Upper Bound
1	212	15.4359	10.18612	.69959	14.0568	16.8150
2	212	12.6047	7.39420	.50784	11.6036	13.6058
3	212	11.5719	7.16242	.49192	10.6022	12.5416
4	212	14.5613	6.59104	.45267	13.6690	15.4537
Total	848	13.5435	8.08816	.27775	12.9983	14.0886

&[页面标题]

Descriptives

SVA

	Minimum	Maximum
1	-6.96	44.17
2	-.84	41.96
3	-2.64	32.27
4	1.03	34.26
Total	-6.96	44.17

Test of Homogeneity of Variances

SVA

Levene Statistic	df1	df2	Sig.
8.512	3	844	.000

ANOVA

SVA

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	1989.767	3	663.256	10.479	.000
Within Groups	53419.546	844	63.293		
Total	55409.313	847			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: SVA

	(I) group	(J) group	Mean Difference (I-J)	Std. Error	Sig.	95% ...
						Lower Bound
Dunnett T3	1	2	2.83118*	.86447	.007	.5455
		3	3.86401*	.85522	.000	1.6026
		4	.87458	.83327	.876	-1.3293
	2	1	-2.83118*	.86447	.007	-5.1169
		3	1.03283	.70702	.607	-.8358
		4	-1.95660*	.68030	.025	-3.7547
	3	1	-3.86401*	.85522	.000	-6.1254
		2	-1.03283	.70702	.607	-2.9014
		4	-2.98943*	.66850	.000	-4.7563
	4	1	-.87458	.83327	.876	-3.0785
		2	1.95660*	.68030	.025	.1585
		3	2.98943*	.66850	.000	1.2226
Dunnett t (2-sided) ^b	2	1	-2.83118*	.77273	.001	-4.6496
	3	1	-3.86401*	.77273	.000	-5.6824
	4	1	-.87458	.77273	.532	-2.6930

Multiple Comparisons

Dependent Variable: SVA

	(I) group	(J) group	95% ...
			Upper Bound
Dunnett T3	1	2	5.1169
		3	6.1254
		4	3.0785
	2	1	-.5455
		3	2.9014
		4	-.1585
	3	1	-1.6026
		2	.8358
		4	-1.2226
	4	1	1.3293
		2	3.7547
		3	4.7563
Dunnett t (2-sided) ^b	2	1	-1.0128
	3	1	-2.0456
	4	1	.9438

*. The mean difference is significant at the 0.05 level.

b. Dunnett t-tests treat one group as a control, and compare all other groups against it.

ONEWAY TSminusCL BY group
 /STATISTICS DESCRIPTIVES HOMOGENEITY
 /MISSING ANALYSIS

Oneway

Notes

Output Created	27-OCT-2019 22:14:25	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\4组参数比较.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	848
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on cases with no missing data for any variable in the analysis.
Syntax	ONEWAY TSminusCL BY group /STATISTICS DESCRIPTIVES HOMOGENEITY /MISSING ANALYSIS /POSTHOC=T3 DUNNETT (1) ALPHA(0.05).	
Resources	Processor Time	00:00:00.27
	Elapsed Time	00:00:00.31

[数据集1] C:\Users\野夫\Desktop\1\4组参数比较.sav

Descriptives

TSminusCL

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean	
					Lower Bound	Upper Bound
1	212	10.69	9.692	.666	9.38	12.01
2	212	5.34	10.191	.700	3.96	6.72
3	212	6.63	9.171	.630	5.39	7.87
4	212	7.85	8.993	.618	6.64	9.07
Total	848	7.63	9.710	.333	6.98	8.28

Descriptives

TSminusCL

	Minimum	Maximum
1	-11	46
2	-18	43
3	-19	39
4	-10	36
Total	-19	46

Test of Homogeneity of Variances

TSminusCL

Levene Statistic	df1	df2	Sig.
.426	3	844	.734

ANOVA

TSminusCL

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	3323.344	3	1107.781	12.215	.000
Within Groups	76542.387	844	90.690		
Total	79865.731	847			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: TSminusCL

	(I) group	(J) group	Mean Difference (I-J)	Std. Error	Sig.	95% ...
						Lower Bound
Dunnett T3	1	2	5.354*	.966	.000	2.80
		3	4.061*	.916	.000	1.64
		4	2.840*	.908	.011	.44
	2	1	-5.354*	.966	.000	-7.91
		3	-1.292	.942	.673	-3.78
		4	-2.514*	.933	.043	-4.98
	3	1	-4.061*	.916	.000	-6.48
		2	1.292	.942	.673	-1.20
		4	-1.222	.882	.664	-3.55
	4	1	-2.840*	.908	.011	-5.24
		2	2.514*	.933	.043	.05
		3	1.222	.882	.664	-1.11
Dunnett t (2-sided) ^b	2	1	-5.354*	.925	.000	-7.53
	3	1	-4.061*	.925	.000	-6.24
	4	1	-2.840*	.925	.006	-5.02

Multiple Comparisons

Dependent Variable: TSminusCL

	(I) group	(J) group	95% ...
			Upper Bound
Dunnett T3	1	2	7.91
		3	6.48
		4	5.24
	2	1	-2.80
		3	1.20
		4	-.05
	3	1	-1.64
		2	3.78
		4	1.11
	4	1	-.44
		2	4.98
		3	3.55
Dunnett t (2-sided) ^b	2	1	-3.18
	3	1	-1.88
	4	1	-.66

*. The mean difference is significant at the 0.05 level.

b. Dunnett t-tests treat one group as a control, and compare all other groups against it.

ONEWAY SCA BY group
 /STATISTICS DESCRIPTIVES HOMOGENEITY
 /MISSING ANALYSIS

Oneway

Notes

Output Created	27-OCT-2019 22:15:37	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\4组参数比较.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	848
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on cases with no missing data for any variable in the analysis.
Syntax	ONEWAY SCA BY group /STATISTICS DESCRIPTIVES HOMOGENEITY /MISSING ANALYSIS /POSTHOC=T3 DUNNETT (1) ALPHA(0.05).	
Resources	Processor Time	00:00:00.27
	Elapsed Time	00:00:00.27

[数据集1] C:\Users\野夫\Desktop\1\4组参数比较.sav

Descriptives

SCA

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean	
					Lower Bound	Upper Bound
1	212	77.12	7.646	.525	76.09	78.16
2	212	78.53	6.234	.428	77.68	79.37
3	212	76.13	6.678	.459	75.23	77.04
4	212	75.71	6.004	.412	74.90	76.53
Total	848	76.87	6.746	.232	76.42	77.33

&[页面标题]

Descriptives

SCA

	Minimum	Maximum
1	57	97
2	64	92
3	63	92
4	59	88
Total	57	97

Test of Homogeneity of Variances

SCA

Levene Statistic	df1	df2	Sig.
5.743	3	844	.001

ANOVA

SCA

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	996.107	3	332.036	7.463	.000
Within Groups	37551.392	844	44.492		
Total	38547.499	847			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: SCA

	(I) group	(J) group	Mean Difference (I-J)	Std. Error	Sig.	95% ...
						Lower Bound
Dunnett T3	1	2	-1.406	.678	.210	-3.20
		3	.991	.697	.637	-.85
		4	1.410	.668	.193	-.35
	2	1	1.406	.678	.210	-.39
		3	2.396*	.627	.001	.74
		4	2.816*	.594	.000	1.24
	3	1	-.991	.697	.637	-2.83
		2	-2.396*	.627	.001	-4.05
		4	.420	.617	.983	-1.21
	4	1	-1.410	.668	.193	-3.18
		2	-2.816*	.594	.000	-4.39
		3	-.420	.617	.983	-2.05
Dunnett t (2-sided) ^b	2	1	1.406	.648	.078	-.12
	3	1	-.991	.648	.292	-2.52
	4	1	-1.410	.648	.077	-2.93

Multiple Comparisons

Dependent Variable: SCA

	(I) group	(J) group	95% ...
			Upper Bound
Dunnett T3	1	2	.39
		3	2.83
		4	3.18
	2	1	3.20
		3	4.05
		4	4.39
	3	1	.85
		2	-.74
		4	2.05
	4	1	.35
		2	-1.24
		3	1.21
Dunnett t (2-sided) ^b	2	1	2.93
	3	1	.53
	4	1	.11

*. The mean difference is significant at the 0.05 level.

b. Dunnett t-tests treat one group as a control, and compare all other groups against it.

ONEWAY NT BY group
 /STATISTICS DESCRIPTIVES HOMOGENEITY
 /MISSING ANALYSIS

Oneway

Notes

Output Created	27-OCT-2019 22:16:22	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\4组参数比较.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	848
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on cases with no missing data for any variable in the analysis.
Syntax	ONEWAY NT BY group /STATISTICS DESCRIPTIVES HOMOGENEITY /MISSING ANALYSIS /POSTHOC=T3 DUNNETT (1) ALPHA(0.05).	
Resources	Processor Time	00:00:00.25
	Elapsed Time	00:00:00.28

[数据集1] C:\Users\野夫\Desktop\1\4组参数比较.sav

Descriptives

NT

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean	
					Lower Bound	Upper Bound
1	212	58.21	5.528	.380	57.46	58.96
2	212	57.50	5.203	.357	56.80	58.20
3	212	57.09	5.161	.354	56.39	57.79
4	212	57.24	5.475	.376	56.50	57.98
Total	848	57.51	5.352	.184	57.15	57.87

&[页面标题]

Descriptives

NT

	Minimum	Maximum
1	42	73
2	41	72
3	45	72
4	45	77
Total	41	77

Test of Homogeneity of Variances

NT

Levene Statistic	df1	df2	Sig.
1.412	3	844	.238

ANOVA

NT

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	156.028	3	52.009	1.821	.142
Within Groups	24103.896	844	28.559		
Total	24259.925	847			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: NT

	(I) group	(J) group	Mean Difference (I-J)	Std. Error	Sig.	95% ...
						Lower Bound
Dunnett T3	1	2	.708	.521	.684	-.67
		3	1.118	.519	.176	-.25
		4	.967	.534	.356	-.45
	2	1	-.708	.521	.684	-2.09
		3	.410	.503	.960	-.92
		4	.259	.519	.997	-1.11
	3	1	-1.118	.519	.176	-2.49
		2	-.410	.503	.960	-1.74
		4	-.151	.517	1.000	-1.52
	4	1	-.967	.534	.356	-2.38
		2	-.259	.519	.997	-1.63
		3	.151	.517	1.000	-1.21
Dunnett t (2-sided) ^a	2	1	-.708	.519	.383	-1.93
	3	1	-1.118	.519	.081	-2.34
	4	1	-.967	.519	.155	-2.19

Multiple Comparisons

Dependent Variable: NT

	(I) group	(J) group	95% ...
			Upper Bound
Dunnett T3	1	2	2.09
		3	2.49
		4	2.38
	2	1	.67
		3	1.74
		4	1.63
	3	1	.25
		2	.92
		4	1.21
	4	1	.45
		2	1.11
		3	1.52
Dunnett t (2-sided) ^a	2	1	.51
	3	1	.10
	4	1	.25

a. Dunnett t-tests treat one group as a control, and compare all other groups against it.

```
ONEWAY TIA BY group
/STATISTICS DESCRIPTIVES HOMOGENEITY
/MISSING ANALYSIS
/POSTHOC=T3 DUNNETT (1) ALPHA(0.05).
```

Oneway

Notes

Output Created	27-OCT-2019 22:16:32	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\4组参数比较.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	848
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on cases with no missing data for any variable in the analysis.
Syntax	ONEWAY TIA BY group /STATISTICS DESCRIPTIVES HOMOGENEITY /MISSING ANALYSIS /POSTHOC=T3 DUNNETT (1) ALPHA(0.05).	
Resources	Processor Time	00:00:00.28
	Elapsed Time	00:00:00.30

[数据集1] C:\Users\野夫\Desktop\1\4组参数比较.sav

Descriptives

TIA

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean	
					Lower Bound	Upper Bound
1	212	79.66	6.836	.470	78.73	80.59
2	212	78.86	6.416	.441	77.99	79.73
3	212	78.32	7.435	.511	77.31	79.32
4	212	78.14	5.346	.367	77.41	78.86
Total	848	78.74	6.568	.226	78.30	79.19

&[页面标题]

Descriptives

TIA

	Minimum	Maximum
1	61	108
2	55	97
3	60	95
4	66	94
Total	55	108

Test of Homogeneity of Variances

TIA

Levene Statistic	df1	df2	Sig.
6.749	3	844	.000

ANOVA

TIA

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	298.032	3	99.344	2.314	.075
Within Groups	36241.439	844	42.940		
Total	36539.471	847			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: TIA

	(I) group	(J) group	Mean Difference (I-J)	Std. Error	Sig.	95% ...
						Lower Bound
Dunnett T3	1	2	.797	.644	.767	-.90
		3	1.344	.694	.279	-.49
		4	1.524	.596	.064	-.05
	2	1	-.797	.644	.767	-2.50
		3	.547	.674	.961	-1.24
		4	.726	.574	.748	-.79
	3	1	-1.344	.694	.279	-3.18
		2	-.547	.674	.961	-2.33
		4	.179	.629	1.000	-1.48
	4	1	-1.524	.596	.064	-3.10
		2	-.726	.574	.748	-2.24
		3	-.179	.629	1.000	-1.84
Dunnett t (2-sided) ^a	2	1	-.797	.636	.452	-2.29
	3	1	-1.344	.636	.090	-2.84
	4	1	-1.524*	.636	.045	-3.02

Multiple Comparisons

Dependent Variable: TIA

	(I) group	(J) group	95% ...
			Upper Bound
Dunnett T3	1	2	2.50
		3	3.18
		4	3.10
	2	1	.90
		3	2.33
		4	2.24
	3	1	.49
		2	1.24
		4	1.84
	4	1	.05
		2	.79
		3	1.48
Dunnett t (2-sided) ^a	2	1	.70
	3	1	.15
	4	1	-.03

*. The mean difference is significant at the 0.05 level.

a. Dunnett t-tests treat one group as a control, and compare all other groups against it.

```
T-TEST GROUPS=group(1 4)
/MISSING=ANALYSIS
/VARIABLES=NDI
```

T-Test

Notes

Output Created	27-OCT-2019 22:16:58	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\4组参数比较.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	848
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on the cases with no missing or out-of-range data for any variable in the analysis.
Syntax	T-TEST GROUPS=group(1 4) /MISSING=ANALYSIS /VARIABLES=NDI /CRITERIA=CI(.95).	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01

[数据集1] C:\Users\野夫\Desktop\1\4组参数比较.sav

Group Statistics

group	N	Mean	Std. Deviation	Std. Error Mean
NDI 1	212	21.91	13.960	.959
NDI 4	212	15.73	11.123	.764

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means	
		F	Sig.	t	df
NDI	Equal variances assumed	81.832	.000	5.041	422
	Equal variances not assumed			5.041	401.951

Independent Samples Test

		t-test for Equality of Means		
		Sig. (2-tailed)	Mean Difference	Std. Error Difference
NDI	Equal variances assumed	.000	6.179	1.226
	Equal variances not assumed	.000	6.179	1.226

Independent Samples Test

		t-test for Equality of Means	
		95% Confidence Interval of the Difference	
		Lower	Upper
NDI	Equal variances assumed	3.770	8.589
	Equal variances not assumed	3.769	8.589

```
GET
  FILE='C:\Users\野夫\Desktop\1\4参数比.sav'.
DATASET NAME 数据集1 WINDOW=FRONT.
NONPAR CORR
  /VARIABLES=T1S T1A
  /PRINT=SPEARMAN TWOTAIL NOSIG
  /MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created	27-OCT-2019 22:29:07	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\4组参数比较.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	848
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	<pre>NONPAR CORR /VARIABLES=T1S TIA /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.</pre>	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.07
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\4组参数比较.sav

Correlations

			T1S	TIA
Spearman's rho	T1S	Correlation Coefficient	1.000	.081*
		Sig. (2-tailed)	.	.018
		N	848	848
	TIA	Correlation Coefficient	.081*	1.000
		Sig. (2-tailed)	.018	.
		N	848	848

*. Correlation is significant at the 0.05 level (2-tailed).

```
NONPAR CORR
/VARIABLES=T1S SCA
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created	27-OCT-2019 22:29:32	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\4组参数比较.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	848
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	<pre>NONPAR CORR /VARIABLES=T1S SCA /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.</pre>	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\4组参数比较.sav

Correlations

			T1S	SCA
Spearman's rho	T1S	Correlation Coefficient	1.000	-.116**
		Sig. (2-tailed)	.	.001
		N	848	848
	SCA	Correlation Coefficient	-.116**	1.000
		Sig. (2-tailed)	.001	.
		N	848	848

** . Correlation is significant at the 0.01 level (2-tailed).

```
NONPAR CORR
/VARIABLES=T1S SVA
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created		27-OCT-2019 22:29:46
Comments		
Input	Data	C:\Users\野夫\Desktop\1\4组参数比较.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	848
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		NONPAR CORR /VARIABLES=T1S SVA /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\4组参数比较.sav

Correlations

			T1S	SVA
Spearman's rho	T1S	Correlation Coefficient	1.000	.131**
		Sig. (2-tailed)	.	.000
		N	848	848
	SVA	Correlation Coefficient	.131**	1.000
		Sig. (2-tailed)	.000	.
		N	848	848

** . Correlation is significant at the 0.01 level (2-tailed).

```
NONPAR CORR
/VARIABLES=T1S CL
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created		27-OCT-2019 22:29:56
Comments		
Input	Data	C:\Users\野夫\Desktop\1\4组参数比较.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	848
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		NONPAR CORR /VARIABLES=T1S CL /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.03
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\4组参数比较.sav

Correlations

			T1S	CL
Spearman's rho	T1S	Correlation Coefficient	1.000	.150**
		Sig. (2-tailed)	.	.000
		N	848	848
	CL	Correlation Coefficient	.150**	1.000
		Sig. (2-tailed)	.000	.
		N	848	848

** . Correlation is significant at the 0.01 level (2-tailed).

```
NONPAR CORR
/VARIABLES=CL SCA
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created	27-OCT-2019 22:30:11	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\4组参数比较.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	848
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	<pre>NONPAR CORR /VARIABLES=CL SCA /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.</pre>	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\4组参数比较.sav

Correlations

			CL	SCA
Spearman's rho	CL	Correlation Coefficient	1.000	-.502**
		Sig. (2-tailed)	.	.000
		N	848	848
	SCA	Correlation Coefficient	-.502**	1.000
		Sig. (2-tailed)	.000	.
		N	848	848

** . Correlation is significant at the 0.01 level (2-tailed).

```
NONPAR CORR
/VARIABLES=CL SCA
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created	27-OCT-2019 22:30:30	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\4组参数比较.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	848
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	NONPAR CORR /VARIABLES=CL SVA /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.04
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\4组参数比较.sav

Correlations

			CL	SVA
Spearman's rho	CL	Correlation Coefficient	1.000	-.086*
		Sig. (2-tailed)	.	.012
		N	848	848
	SVA	Correlation Coefficient	-.086*	1.000
		Sig. (2-tailed)	.012	.
		N	848	848

*. Correlation is significant at the 0.05 level (2-tailed).

```
NONPAR CORR
/VARIABLES=SVA TSmminusCL
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created	27-OCT-2019 22:31:14	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\4组参数比较.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	848
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	NONPAR CORR /VARIABLES=SVA TSminusCL /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\4组参数比较.sav

Correlations

			SVA	TSminusCL
Spearman's rho	SVA	Correlation Coefficient	1.000	.160**
		Sig. (2-tailed)	.	.000
		N	848	848
	TSminusCL	Correlation Coefficient	.160**	1.000
		Sig. (2-tailed)	.000	.
		N	848	848

** . Correlation is significant at the 0.01 level (2-tailed).

```
NONPAR CORR
/VARIABLES=NTaddTS TIA
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created	27-OCT-2019 22:31:27	
Comments		
Input	Data	C:\Users\野夫\Desktop\1\4组参数比较.sav
	Active Dataset	数据集1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	848
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	<pre>NONPAR CORR /VARIABLES=NTaddTS TIA /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.</pre>	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[数据集1] C:\Users\野夫\Desktop\1\4组参数比较.sav

Correlations

			NTaddTS	TIA
Spearman's rho	NTaddTS	Correlation Coefficient	1.000	.459**
		Sig. (2-tailed)	.	.000
		N	848	848
	TIA	Correlation Coefficient	.459**	1.000
		Sig. (2-tailed)	.000	.
		N	848	848

** . Correlation is significant at the 0.01 level (2-tailed).