

Frogs	Positive/Detected samples in Yunnan Province							Prevalence	95% CI
	Chuxiong	Dali	Honghe	Kunming	Xishuangbanna	Lincang	Pu'er		
<i>Kaloula verrucosa</i>	0/9	-	-	4/10	-	-	-	21.0%	6.02 - 45.51%
<i>Kaloula verrucosa</i> Tadpole	-	-	19/19	81/88	-	-	-	84.1%	75.77 - 90.45%
<i>Rana catesbeiana</i>	0/1	-	-	-	-	-	-	0%	0.00 - 97.50%
<i>Rana catesbeiana</i> Tadpole	-	7/7	-	0/15	-	-	-	31.8%	13.85 - 54.85%
<i>Xenopus laevis</i>	-	-	-	2/2	-	-	-	100%	15.81 - 100.00%
<i>Hyla chinensis</i>	-	-	-	-	-	-	0/2	0%	0.00 - 84.19%
<i>Duttaphrynus melanostictus</i>	0/8	-	-	0/2	-	-	-	0%	0.00 - 30.85%
<i>Odorrana rodora</i>	-	-	-	-	-	0/5	-	0%	0.00 - 52.18%
<i>Pelophylax pleuraden</i>	0/7	-	-	0/8	-	-	-	0%	0.00 - 21.80%
<i>Rana grahami</i>	0/4	-	-	0/2	-	-	-	0%	0.00 - 45.93%
<i>Calluella yunnanensis</i>	-	-	-	0/1	0/7	-	0/16	0%	0.00 - 14.25%
<i>Hyla annectans</i> Jerdon	0/9	-	-	-	-	-	-	0%	0.00 - 33.63%
<i>Microhyla ornata</i>	0/9	-	-	-	-	-	-	0%	0.00 - 33.63%
<i>Nidirana pleuraden</i>	0/8	-	-	12/58	-	-	-	18.2%	9.78 - 29.63%

<i>Pelophylax plancyi</i>	-	-	-	0/2	-	-	-	0%	0.00 - 84.19%
<i>Rana chaochiaoensis</i>	-	-	-	0/3	-	-	-	0%	0.00 - 70.76%
<i>Rhacophorus</i> sp.	-	-	-	0/1	-	-	-	0%	0.00 - 97.50%
<i>Bufo gargarizans andrewsi</i>	-	-	-	0/2	-	-	-	0%	0.00 - 84.19%
<i>Odorrana margaratae</i>	0/1	-	-	0/2	-	-	-	0%	0.00 - 70.76%
Prevalence	0%	100%	100%	50.5%	0%	0%	0%	40.6% (125/308)	35.07 - 46.32%
95% CI	0.00 - 6.38%	59.04 - 100.00%	82.35 - 100.00%	43.28 - 57.70%	0.00 - 40.96%	0.00 - 52.18%	0.00 - 18.53%	35.07 - 46.32%	-

Frogs	Positive/Detected samples in Sichuan Province				Prevalence	95% CI
	Liangshan	Mianzhu	Deyang	Chengdu		
<i>Polypedates chenfui</i>	0/1	-	-	-	0%	0.00 - 97.50%
<i>Oreolalax</i> sp.	0/8	-	-	-	0%	0.00 - 36.94%
<i>Rhacophorus</i> sp. Tadpole	22/22	-	-	-	100%	84.56 - 100.00%
<i>Amolops mantzorum</i>	0/6	-	-	0/2	0%	0.00 - 36.94%
<i>Amolops mantzorum</i> Tadpole	-	-	7/7	-	100%	59.04 - 100.00%
<i>Rana grahami</i>	-	-	0/2	-	0%	0.00 - 84.19%
<i>Rana chaochiaoensis</i>	10/11	9/9	3/6	-	84.6%	65.11 - 95.64%
<i>Rana quadranus</i>	-	-	0/11	-	0%	0.00 - 28.49%
<i>Rana quadranus</i> Tadpole	-	16/16	-	-	100%	79.41 - 100.00%
<i>Paa yunnanensis</i>	0/2	-	-	-	0%	0.00 - 84.19%
<i>Odorrana margaratae</i>	-	0/2	0/2	-	0%	0.00 - 60.24%
<i>Odorrana margaratae</i> Tadpole	-	-	10/12	-	83.3%	51.55 - 97.90%
Prevalence	64%	92.6%	39.4%	0%	62.5% (70/112)	52.85 - 71.47%
95% CI	49.19 - 77.08%	75.72 - 99.09%	24.35 -56.08%	0.00 - 84.19%	52.85 - 71.47%	-

Frogs	Positive/Detected samples in Other Area			Prevalence	95% CI
	Shangshan	Longnan of Gansu Province	Hanzhong of Shaanxi Province		
<i>Rana catesbeiana</i>	0/2	-	-	0%	0.00 - 84.19%
<i>Rana rugulosa</i>	0/8	-	-	0%	0.00 - 36.94%
<i>Rana chaochiaoensis</i>	-	0/4	-	0%	0.00 - 60.24%
<i>Quasipaa spinosa</i>	-	0/9	0/9	0%	0.00 - 18.53%
<i>Amolops mantzorum</i>	-	0/1	-	0%	0.00 - 97.50%
<i>Rana quadranus</i>		0/1	0/9	0%	0.00 - 30.85%
Prevalence	0%	0%	0%	0%(0/43)	0.00 - 8.22%
95% CI	0.00 - 30.85%	0.00 - 21.80%	0.00 - 18.53%	0.00 - 8.22%	-