

Drugs	ICU Length of Stay				Hospital Length of Stay				Ventilation Duration				Pulmonary Embolism				Deep Venous Thrombosis			
	Standard Error	Chi-Square	P-Value	Hazard Ratio	Standard Error	Chi-Square	P-Value	Hazard Ratio	Standard Error	Chi-Square	P-Value	Hazard Ratio	Standard Error	Chi-Square	P-Value	Hazard Ratio	Standard Error	Chi-Square	P-Value	Hazard Ratio
Heparin	0.03	259	<0.01	0.59	0.03	120	<0.01	0.7	0.03	157	<0.01	0.66	0.03	0.03	0.87	0.99	0.03	0.01	0.92	1
Warfarin	0.07	10.6	<0.01	0.81	0.07	8.7	<0.05	0.82	0.07	4.48	<0.05	0.87	0.07	0.54	0.47	0.95	0.07	0.91	0.34	0.94
Enoxaparin	0.07	37.7	<0.01	0.65	0.07	48.2	<0.01	0.62	0.07	41.2	<0.01	0.64	0.07	0.34	0.56	0.96	0.07	0.02	0.88	0.99
Aspirin	0.05	8.5	<0.01	0.88	0.05	0.76	0.38	0.96	0.05	0.29	0.59	0.98	0.05	0.01	0.93	1	0.05	0.002	0.97	1

Table 3: Hazard ratio calculations for Heparin, Warfarin, Enoxaparin and Aspirin for ICU length of stay, hospital length of stay, ventilation duration, PE and DVT events after start of prophylaxis.