

# Exploring the Factors that Affect the Transition from Students to Health Professionals: An Integrative Review

Eric Nkansah Opoku (✉ [Enopoku@ug.edu.gh](mailto:Enopoku@ug.edu.gh))

University of Ghana <https://orcid.org/0000-0002-8970-0059>

Lee-Ann Jacobs-Nzuzi Khuabi

Stellenbosch University - Tygerberg Campus: Stellenbosch University Faculty of Medicine and Health Sciences

Lana Van Niekerk

Stellenbosch University - Tygerberg Campus: Stellenbosch University Faculty of Medicine and Health Sciences

---

## Research article

**Keywords:** Role transition, clinical practice, new clinicians, professional competence, novice professionals, professional practice, Integrative review

**Posted Date:** December 15th, 2020

**DOI:** <https://doi.org/10.21203/rs.3.rs-127874/v1>

**License:**   This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

---

# Abstract

**Background:** The nature of a new health professional's transition from student to health professional is a significant determinant of the ease or difficulty of the journey to professional competence. The integrative review will explore the extent of literature on the factors that impact the transition of new health professionals into practice, identify possible gaps and synthesise findings which will inform further research. The aim was to identify research conducted in the last two decades on the barriers, facilitators and coping strategies employed by new health professionals during their transition into practice.

**Methods:** Whittemore and Knafl's methodological framework for conducting integrative reviews was used to guide this study. Sources between 1999 and 2019 were gathered using EBSCOhost (including CINAHL, Medline, Academic Search Premier, Health Science: Nursing and Academic Edition), PubMed, Scopus, Cochrane and Web of Science, as well as hand searching and follow-up of bibliographies followed. The Covidence platform was used to manage the project. All studies were screened against a predetermined selection criteria. Relevant data was extracted from included sources and analysed using thematic analysis approach.

**Results:** Of the 562 studies identified, relevant data was extracted from 24 studies that met the inclusion criteria, and analysed to form this review. Thematic analysis approach was used to categorise the findings into theme areas. Four overarching themes emerged namely: systems and structures, personal capacities, professional competence and mediating processes. Each theme revealed the barriers, facilitators and coping strategies of transition into practice among new health graduates.

**Conclusion:** The transition into practice for new health practitioners has been described as complex and a period of great stress. Increasing clinical and practical experiences during education are required to support new health professionals in the process of closing the gap between learning and practice. Continued professional development activities should be readily available and attendance of these encouraged.

## Background

The transition into practice for new practitioners has been described as complex and a period of great stress (1,2). The academic environment and the practice environment have been described as different worlds as knowledge acquired in the classroom was deemed practically untransferable to the real world (3,4). Due to the gap between academic and practice contexts, evidence suggests that new health professionals might be overwhelmed with feelings of inadequacy (5), unpreparedness (6) and doubtfulness related to their competence (4,7). Evidence also suggests that, the reality of practice is experienced as a shock by new health practitioners (6,7); feelings that might negatively affect the personal and professional confidence of new health professionals (8). Other challenges experienced during the transition included role confusion (9), overwhelming workloads (3), sophisticated workplace protocols (10) and lack of respect and recognition (11).

The nature of a new health professional's transition from student to health professional has been shown to be a significant determinant of the ease or difficulty of his/her journey to professional competence (2,12). Several strategies were found to alleviate the challenges that characterise the transition from student to health professional. Consistent emphasis is placed on supervision to help new health professionals relate the knowledge acquired in the classroom to practice (4,12-15). Effective supervision equips new health professionals with skills needed to function in their respective areas of practice (13). Moores and Fitzgerald (12) established that meaningful interactions with other new health professionals in the form of study groups, peer support meetings and social interaction sessions contribute significantly to successful transitions to practice (14). Other support strategies emphasised in the literature include adequate orientation for new health professionals (11), support from more experienced senior colleagues (15), preceptorship programmes (16) and other health professionals (17). New health professionals have also been advised to utilise continuing education opportunities. Evidence suggests that continued professional development avenues positively impact on new health professionals' self-confidence and professional identity (7).

This integrative review aimed to identify research conducted in the last two decades (1999-2019) on the barriers and facilitators associated with new health professionals' transition into practice and the coping strategies employed to ensure successful transition into practice

## Methods

The integrative review commenced with publication of the protocol so as to obtain peer input(18). Whitemore and Knafl's (19) methodological framework for conducting integrative reviews guided this study (See Figure 1); the process will now be discussed in detail.

## Problem Identification (Preparing guiding question)

The overarching question that guided this review was 'what factors affect the transition of new health professionals from students to health professionals?' To capture the scope and the diversity of available literature, three specific research questions were developed to answer the question.

- a. What challenges do new health professionals face during transition into practice?
- b. What factors facilitate the transition of new health professionals into practice?
- c. What coping strategies do new health professionals employ to ensure successful transition into practice?

## Literature search

A search was done to identify literature from five electronic databases namely PubMed, EBSCOhost (including CINAHL, Medline, Health Science: Nursing and Academic edition), Scopus, Cochrane and Web

of Science. The first search was done April 3, 2019. The search strategy included the keywords New clinician OR Novice Professional OR Health student AND Transition\* AND Clinical practice AND Clinical competence OR Professional Competence. The search strategy used was developed in consultation with an experienced subject librarian. Limiters applied were published date (January 1999 to April 2019), SmartText searching and Language (English only). Hand searches and follow up of the reference lists of the included articles was done to retrieve literature that were not found in the databases.

## Data evaluation

Titles and abstracts of all retrieved sources were uploaded onto the Covidence Platform, which was used to manage the project. The Covidence platform automatically removed duplicates before the review process began. Quality assessment was undertaken to ensure the clarity of study aim, the participants and the relevance of the of the study to answer the research question. All studies were assessed for eligibility by three independent reviewers according to the following criteria:

Table 1: Selection Criteria	
Inclusion Criteria	Exclusion Criteria
Peer-reviewed research source on new health professionals' transition from students to health professionals.	Conference abstracts, doctoral theses and grey literature.
Primary sources of systematic reviews that meet the inclusion criteria.	Systematic or literature reviews
Published in English	
Published after 1999	

Following the title and abstract screening, full texts of the included studies were upload for full text screening against the same predetermined selection criteria. Conflicts were resolved through consultation among the three reviewers until consensus was reached. Once consensus was reached on the eligibility of sources, data was extracted from full text publications using a data charting form adapted from Uys *et al* (20). For each of the included studies, the researcher extracted the study characteristics (author names, publishing journal, year study was published, country of study and the population of the study), study aims, objectives and/or research questions, the study design and the findings (with particular emphasis on the barriers, the facilitators and coping strategies of transition into practice).

## Data Analysis and Presentation

Once the data extraction process was completed, findings were analysed and categorised into themes areas using a thematic analysis approach (21); this involved summary and categorization of data into codes, sub-themes and main themes. The analysis focused on extracting data that met the objectives of this study. The first author did the analysis, which was then reviewed and refined with the assistance of

the second and third authors. Once the data evaluation and analysis processes were completed, the study findings were presented in the form of descriptions and narrations.

## Results

### Study Selection

The primary search strategy identified 562 studies from which 185 duplicates were removed. The title and abstract of 377 sources were screened and 284 were excluded. The full texts of the included sources were uploaded onto the Covidence platform for full text screening against the same predetermined inclusion and exclusion criteria. Overall, 92 studies were assessed for full-text eligibility. A final total of 24 studies met the inclusion criteria and relevant data was extracted and analysed to form this review (See Figure 2: PRISMA flow chart of study selection)

#### Study Characteristics

Most sources originated in Australia (n = 8; 33.3%), followed by Canada (n = 5; 20.8%), the USA (n = 3; 12.5%), the UK (n = 2; 8.3%) and Norway, Turkey, Oman, Jordan, Philippines and Ireland (n=1 for each country; 4.2%). Twenty sources used qualitative methodologies, 3 used quantitative methodologies and one study used mixed methods. Thirteen sources pertained the profession of nursing (54.2%), seven were on occupational therapy (29.2%), two about medicine/doctors medical (8.3%) and one each on physiotherapy and midwifery (4.2%). *Table 2* presents a summary of the sources that were included in the review including characteristics such as first author, year of publication, country of origin, study aims, sample size, profession of participants, the methodology used and the publishing journal.

*Table 2: Summary of sources included in the final analysis*

<b>First Author (Ref), year, Country of origin</b>	<b>Study aims/objectives/question</b>	<b>Sample size, profession</b>	<b>Methodological tradition, Publishing Journal</b>
1. O'shea (22), 2007, Ireland (High Income)	To explore newly qualified staff nurses' experiences of being on clinical placement post registration, and the meanings that this experience held for them.	n=10 Newly qualified nurses,	Qualitative phenomenology, Clinical Nursing
2. Labrague (3), 2019, Philippine (Lower-middle income)	This study describes the transition experiences of newly graduated Filipino nurses during their initial clinical placement process one-year post registration	n=15 newly graduated nurses,	Qualitative phenomenology, Nursing Forum
3. AbuAlRub (23), 2018, Jordan (Upper-middle income)	To explore the challenges that face new Jordanian nurses in the first year of employment	n=30, Newly qualified nurses, and n=6 key informants	Qualitative phenomenology, International Nursing Review
4. Awaisi (16), 2015, Oman (High income)	To explore the experiences of new clinician nurses during their transition period in the Sultanate of Oman	2009 (n=15) and 2010 (n=10) cohorts of nursing clinicians, students (n=8), preceptors (n=6), clinical instructors (n=5), head nurses (n=5), and managers (n=4) who had experienced working with new clinician nurses.	Qualitative case study International Journal of Nursing Studies
5. Black (24), 2010, USA (High Income)	To explore the experiences, learning, and development of promising novice therapists throughout their first year of practice in the United States.	n=12, Novice physical therapist	Grounded theory, Journal of the American Physical Therapy association
6. Brennan (25), 2010. UK (High income)	To explore the experiences of junior doctors during their first year of clinical practice.	n=31, Newly qualified doctor,	Qualitative phenomenology, Medical Education
7. Casey (26), 2004, USA (High Income)	To identify the stresses and challenges experienced by cohorts of clinician nurses.	n=270, New clinician nurses	Quantitative cross-sectional survey. Nursing Administration
8. Clare (5), 2003, Australia	To explore the transition from undergraduate student to clinician nurse.	N=550, Clinician nurses and N=350 directors of nursing.	Mixed methods Collegian

(High income)			
9. De Bellis (4), 2015, Australia (High Income)	To identify the issues and difficulties experienced by new nursing clinicians in the clinical environment as they commence their career as registered nurses	n=21 Newly registered nurses.	Qualitative phenomenology, Contemporary Nurse
10. Doherty (10), 2009, Australia (High Income)	To investigate the perception of new graduates on their preparation for practice, at seven months post-graduation.	n=18 Newly registered first cohort of occupational therapists.	Quantitative cross-sectional survey, Australian Occupational Therapy Journal
11. Tryssenaar (6), 2001, Canada (High income)	The study explored the lived experience of rehabilitation students during their final placement and first year of practice.	n=6 Occupational therapist(n=3), and 3 Physical Therapy (n=3) students	Qualitative phenomenology, American Journal of Occupational Therapy
12. Lee (17), 2003, Australia (High Income)	To explore the experiences of five new clinician occupational therapists.	n=5 New occupational therapy clinicians	Qualitative phenomenology, Australian Journal of Rural Health
13. Mangone (27), 2016, Australia (High income)	To explore the effectiveness of addressing transitional issues during debriefing sessions for new clinician nurses and trainee enrolled nurses.	Three focus groups consisting of four to five new nursing graduates.	Qualitative study, Contemporary Nurse
14. Nour (28), 2018, Canada (High income)	To explore the experiences of newly graduated- nurses in acute healthcare settings within Canada.	n=14 Newly registered nurses	Grounded theory, Canadian Journal of Nursing Research.
15. Phillips (11), 2014, Australia (High income)	To identify the factors that clinician nurses believe assists them in successful transition to registered nurse practice.	Already existing 8 focus group interviews (n = 67) and participant responses to opened-ended questions from an electronic survey (n = 392)	Qualitative study. Nurse Education in Practice
16. Regan (15), 2017, Canada (High income)	To describe new clinician nurses' transition experiences from the perspectives of new clinician nurses and nurse leaders in unit level roles.	N = 42 New clinician nurses and nurse leaders (n=28)	Qualitative phenomenology, Nursing Management

17. Reynolds (29), 2014, UK (High income)	To elicit the lived experience of newly qualified midwives from the point of registration to 12 months post-registration	n = 12 Newly qualified midwives,	Qualitative phenomenology, British Journal of Midwifery
18. Seah(7), 2011, Australia (High income)	To explore the lived experience of transition from student to practitioner within first six months of practice.	n = 8 Newly graduated cohort of Master of Occupational Therapy clinicians	Qualitative phenomenology, Australian Occupational Therapy Journal
19. Tastan (30), 2013, Turkey (Upper-middle income)	To identify the factors affecting the transition period of newly graduated nurses.	n = 234 Newly graduated nurses	Descriptive quantitative, International Nursing Review
20. Toal-Sullivan (31) 2006, Canada (High income)	To explore the experience of transition and how beginning practitioners learn about doing practice.	n = 6 Newly graduated Occupational therapists,	Qualitative phenomenology, British Journal of Occupational Therapy
21. Tryssenaar (32) 2001, Canada (high income)	To describe the lived experience of becoming an occupational therapist.	n=1 Newly graduated Occupational therapist, case study	Qualitative Phenomenology British Journal of Occupational Therapy
22. Wangenstein (33) 2007, Norway (High income)	To illuminate how recently graduated nurses' experience their first year as a nurse.	n = 12 Recently graduated nurses	Qualitative Phenomenology, Journal of Clinical Nursing
23. Zinsmeister (34) 2009, USA (High income)	To gain insight into the transition period of clinician nurses.	n = 9 Newly graduated nurses,	Qualitative Phenomenology, Journal of Nursing in Staff Development
24. Bearman (35) 2011, Australia (High income)	To explore the experiences of developing professional identities during housemanship	n=30 New graduated medical doctors, and intern supervisors (n=6)	Grounded theory, Advancement in Health Science Education

Data extraction was done with the three research questions in mind. Multiple factors which affected the multifaceted experiences of new health professionals during their transitions, either positively or



negatively, were identified. Their experiences pertained and multifaceted experiences of new health professionals with self, clients, other health professionals, workplace protocols and the healthcare delivery system as a whole. Once data were charted, findings were summarised and categorised into codes, sub-themes and main themes. Four overarching themes were developed: '*systems and structures*', '*personal capacities*', '*professional competence*' and '*mediating processes*' with a number of sub-themes (see *Figure 3: Theme and sub-themes derived from data analysis*).

## Discussion

The challenges, facilitators and the coping strategies shown to affect the transition into practice for new graduates from various health professions will now be discussed in more detail.

### ***Theme 1: Systems and structures***

The theme '*systems and structures*' reflects the barriers new health practitioners had to overcome and the challenges they faced during transition to practice; it comprises five sub-themes, namely *workplace constraints*, *workloads*, *support and guidance*, *expectations*, and *respect and recognition*.

*Workplace constraints:* Among the challenges encountered by new health professionals were those relating to the complexity of systems in the workplace. New health professionals reported having a naive understanding of the hierarchy of the system, administrative processes, workplace politics and organisational dynamics; this impacted on their transition into practice (4,6,14,16,33). One study reported that, not knowing the "what, how, why, where and when" of workplace routines posed various challenges for new health professionals (4). Variations in operations and administration also served as a source of frustration for new health professionals as they moved between workplaces (35). New health professionals were expected to automatically adapt to 'the-way-things-are-done' and the 'it-is-always-done-this-way' operational culture in the wards (15). Most of these procedures were experienced as contrary to what new health professionals had been taught, thus causing confusion (16).

*Workloads:* Complex and overwhelming work-related responsibilities were experienced among new health professionals (3,4,16,29,31). One study reported that new health professionals were expected to handle complex cases and procedures which they considered unreasonably beyond their capabilities as novice professionals (3). Research also reported heavy patient loads among new health professionals which require them to either work overtime or work under pressure in order to meet all responsibilities (31). New health professionals generally felt overworked at the end of the day (27).

*Respect and Recognition:* A lack of respect and recognition for new health professionals during transition into practice was reported. Phillips *et al* (11) suggested that new health professionals were not afforded the respect they deserved, especially those that were younger. They emphasized that, lack of respect undermined new health professionals' self-confidence, which translates into a lack of self-worth (11). Unprofessional behaviour from other health professionals and senior colleagues, included experiences of being treated as subordinates (16) as well as bullying and insults (5), negatively impacted on the

adjustment of new health professionals. Reynold *et al* (29) and Tryssenaar (32) reported that new health professionals did not feel valued in their practice. In fact, one study reported that new health professionals considered quitting their jobs after the first year due to lack of recognition and appreciation and an overall experience of dissatisfaction at work (28).

*Support and Guidance:* The importance of having a well-structured system of support and guidance for new health professionals during their transition was emphasized. New health professionals who have sufficient orientation programmes reported doing well during their transition into practice (11,13,16,31,32). Conversely, new health professionals who did not get sufficient orientation encountered difficulties with the transition (4,16,21,26). In addition to orientation programmes, strategies found to support new health professionals' transition into practice included residency programmes (23), preceptorship programmes (13,28,31) and mentoring programmes (5,16,22). New health professionals needed support from experienced senior colleagues (4,5,11,16,23,30,31) as well as peers (4). New health professionals reported feeling motivated to perform better when they received feedback on their performance from other health professionals (33) and clients (31). Particular emphasis was also placed on supervision as an effective strategy to help new health professionals overcome the stressors of the transition (6,7,11,13).

*Expectations:* New health professionals reported feeling overwhelmed by unrealistically high expectations placed on them (3,13,25,26,29). Labrague *et al* (3) reported that new health professionals felt pressured and stressed when unachievable expectations were placed on them. Nurses in Clare & Loon's (5) study expressed gratitude to their superiors for having realistic expectations of their skills. They further emphasized that realistic expectations gave them the opportunity to grow their confidence (5). Furthermore, new health professionals reported that they were ignorant of what was expected of them (7,26). In Zinsmeiter's (34) study, new health professionals reported that when all health professionals (new and existing) have clear expectations of their role, the transition becomes comfortable.

## ***Theme 2: Personal Capacities***

In the theme "personal capacities" the personal characteristics of new health professionals that influence their transition from student to health professional were captured; it comprised three sub-themes, namely *self-perceived competence*, *self-confidence*, and *intrinsic motivation to perform*.

*Self-perceived competence:* One factor that affected new health professionals' transition into practice was their perception of their own competence. New health professionals' perception that they do not know enough made them question their competence and readiness for practice (4,6,7,18-22,26,27,31-33). Several situations were reported where new health professionals were caught in a dilemma related to diagnosis, assessment or treatment procedures (5,7,23). Nurses in Clare's (5) study described the overwhelming feeling of inadequacy as the worst aspect of their transition. Feeling inadequate resulted in new health professionals feeling vulnerable and fearful of taking on responsibilities because of their fear of making mistakes (23,29).

*Self-confidence:* Confidence was emphasized as a personal quality that contributes significantly to the success of transition into practice. However, self-confidence seemed to be determined primarily by new health professionals' perception of how competent they were and how prepared they were for practice (4,10,11,17,21,22,24,32). A quantitative cross-sectional survey by Doherty *et al* (10) revealed that new occupational therapy graduates' perceived self-confidence had a significant positive relationship with their self-perceived competence level in clinical decision making.

*Intrinsic Motivation to perform:* New health professionals reported several factors motivating them to continue to pursue competence in the face of challenges encountered during transition. The fact that they were playing an integral role of changing the health of patients for the better motivated them to persist. Others found motivation by associating their role to the spiritual benefits they expected in future (16). Other new health professionals were motivated by the excitement in acquiring new skills and growing in their professions (3,5).

### ***Theme 3: Professional competences***

This theme reflected the relationship between knowledge, skills and attitudes new health professionals acquired through their education, and practising in the field. Three sub-themes emerged, namely *academics-practice disparity, professional knowledge and skills, and practical experiences*.

*Academics-practice disparity:* Research findings reported a dichotomy between what was learnt in the classroom and the expectations of actual performance in practice (3,4,16,21,29). De Bellis *et al* (4) emphasized that the knowledge participants in their study acquired from their undergraduate education was not applicable in their practice. The incongruity between education and practice was believed to often lead to a *reality shock* in the practice environment. (23) The sources reviewed suggested that new health professionals experienced high levels of tension, coupled with anxiety and nervousness upon entering the world of practice (6,7,20,25-27,29,32,33). O'shea *et al* (22) emphasized that the 'reality shock' and anxiety among new health professionals was intense, particularly in the first five months of transition into practice. New health professionals often experienced conflict between their expectations of practice and the reality of practice (31). They experienced varying levels of stress beyond their expectations which impacted their transition (3,6,13,20,21,25,26,30-33). New health professionals often felt incapable of managing stressful emotional work-related situations such as death and dying (13, 20,23).

*Professional knowledge and skills:* The sources reviewed suggested that it is in practice that new health professionals become aware of deficits in their knowledge and skills. The gap between education and practice can cause a mismatch between new health professionals' expectations of their roles and what is actually practiced on the field, leading to role confusion (6,13,29). New health professionals demonstrated inadequacy in clinical practice skills such as communication skills (10,22,24), organisational and management skills (16,20,22), clinical decision-making skills (5,22) and skills required for specific practice areas (6,16,29). Newly qualified occupational therapists in a study by Toal-Sullivan (31) reported that they felt unprepared in specialised clinical skills, such as splinting, cognitive remediation, wheelchair prescription, hand therapy and home safety equipment.

*Practical experience:* Inadequacies in the knowledge and skills of new health professionals was strongly associated with insufficient practical and clinical exposure in their undergraduate training (4-6,21). Increasing hands-on experience of new health professionals during education can help prevent inadequate knowledge and skills during practice (7). Occupational therapists in their first year of practice emphasized that prior clinical placement experience helped ameliorate the stress and uncertainties that characterised transition into practice (7). Brennan *et al* (25) also emphasized that new health professionals should cultivate a 'doing, not observing' attitude during transition into practice.

#### ***Theme 4: Mediating processes***

This theme captured the strategies employed by new health professionals to change or manage challenges they encountered during transition into practice. Four sub-themes emerged, namely *learning as an ongoing process, establishing supportive contacts, asking for help, and effective time management*.

*Learning as an ongoing process:* Research emphasized the importance of new health professionals recognising that professional competence comes through continuous learning and experience (7,17,33). New health professionals should not expect themselves to know everything when transitioning into practice, rather, they should view their knowledge and skills within the confines of being a new health professional (17). With this mindset, new health professionals were advised to strive towards professional competence through personal reading (4,22), revisiting lecture notes (4), taking continuing education courses (6), learning from the mistakes they make (24), creating informal learning culture together with peers (35) and observing and learning from experienced senior colleagues (24).

*Establishing supportive contacts:* The sources reviewed suggested that new health professionals seek to improve their clinical competence through establishing contacts with significant others. New health professionals reported that their peers assisted in alleviating the stressors of transition (4,6,11,16-18,23,25,31). New health professionals established meaningful interactions with peers through peer support meetings (5,25), study groups (5), networking (6,17) and peer debriefing sessions (5,22). Other supportive contacts included previous lecturers (4), senior colleagues (5,6) and fellow health professionals (7,17,30). New health professionals reported that ensuring meaningful personal and social lives helped alleviate transition stressors (17,29,30). Furthermore, healthy interprofessional relationship with other members of the multidisciplinary team was emphasized as a positive factor in transition (28,30).

*Asking for help:* New health professionals resorted to 'asking for help' when they did not know what to do (35) and sought supervision when confronted with new situations (4,6). In situations where there were no mentors and supervisors, new health professionals sought remote mentors and coaches (6). Listening and regularly asking questions were also emphasized as coping strategies to ameliorate the challenges of transition (4,22).

*Effective time management:* Effective time management strategies were found to help alleviate some challenges of transition (6,7). New occupational therapy graduates reported that managing their time well enabled them to deal with overwhelming work schedules, prevented having to work overtime and allowed time for meaningful personal and social lives (6).

## Conclusion

New health professionals encounter numerous challenges during their transition into practice, however, support strategies can ameliorate the difficulties experienced and the coping strategies employed by new health professionals can help to make the transition successful.

Orientation programmes are needed. These should include information on systems and procedures, presented in a format that is easily accessible to new generation learners, and detailed and comprehensible enough to deal with challenges that cause unnecessary anxiety. In addition to support from line managers, new health professionals benefit from mentor and peer support. We recommend both formal and informal systems fostering the creation of support networks..

Orientation programmes should encourage new health professionals to request support or supervision from senior colleagues. Conversely, senior colleagues should maintain a good professional relationship with new health professionals and accord them due respect and recognition. This will make it easy for new graduates to approach senior colleagues for professional assistance.

Support programmes are required to assist new health professionals with closing the gap between learning and practice. Education programmes should aim at increasing the practical experiences of students in the to foster development of skills such as communication skills, clinical decision-making skills, management, organisational skills and time management strategies. However, care should be taken to normalize the gap between competencies new health professionals bring to the field and the clinical expectations they face. This should be done in such a way as to remove the expectation that new health professionals should already have all competencies required.

Ongoing learning should be an explicit expectation for all health professionals. Continued professional development activities should be readily available and attendance of these encouraged. Line managers and mentors of new health professionals should be sensitised to the fact that certain competencies can only be acquired during the transition into practice. This should be done in such a way as to empower them to support the learning that is still required.

## Abbreviations

PRISMA

Preferred Reporting Items for Systematic Reviews and Meta-Analysis.

CINAHL

Cumulative Index of Nursing and Allied Health Literature.

# Declarations

**Ethics approval and consent to participate:** Not applicable

**Consent for publication:** Not applicable

**Availability of data and materials:** All data generated or analysed during this study are included in this published article [and its supplementary information files].

**Competing interests:** The authors declare that they have no competing interests.

**Funding:** The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

## Authors' Contributions

All three authors of this article contributed to the conceptualisation, drafting, development and editing of this integrative review. ENO drafted the initial manuscript in partial fulfillment of his master's degree, LVN and LJNK guided the development of the manuscript and made substantial conceptual and editorial contributions. All authors participated in editing the final version and have approved this manuscript.

## Acknowledgements

The authors acknowledge the assistance of Mrs. Ingrid Van der Westhulzen (Subject librarian) at the University of Stellenbosch for contributing towards developing the search strings for the integrative review. A warm appreciation goes to Elizabeth Casson Trust, UK and Marian Velthuijs, Netherland for supporting the master's study out of which this integrative review was done.

## References


1. Naidoo D, Wyk J, Van, Joubert RN. Are final year occupational therapy students adequately prepared for clinical practice? A case study in KwaZulu-Natal. South African J Occup Ther [Internet]. 2014;44(3).
2. Morley M, Rugg S, Drew J. Before preceptorship: New occupational therapists' expectations of practice and experience of supervision. Br J Occup Ther. 2007;70(6):243–53.
3. Labrague L, McEnroe-Petite D, Leocadio M. Transition experiences of newly graduated Filipino nurses in a resource - scarce rural health care setting: A qualitative study. Nurs Forum. 2019;(August 2018):1–9.
4. De Bellis A, Glover P, Longson D, Hutton A. The enculturation of our nursing graduates. Contemp Nurse. 2001;11(1):84–94.
5. Clare J, Loon A, Van. Best practice principles for the transition from student to registered nurse. Collegian. 2003;10(4).

6. Tryssenaar J, Perkins J. From student to therapist: Exploring the first year of practice. *Am J Occup Ther*. 2001;55(1):19–27.
7. Seah CH, Mackenzie L, Gamble J. Transition of graduates of the Master of Occupational Therapy to practice. *Aust Occup Ther J*. 2011;58:103–10.
8. McCombie RP, Antanavage ME. Transitioning From Occupational Therapy Student To Practicing Occupational Therapist: First Year of Employment. *Occup Ther Heal Care* [Internet]. 2017;31(2):126–42. Available from: <https://doi.org/10.1080/07380577.2017.1307480>.
9. Toal-Sullivan D. New graduates' experiences of learning to practice occupational therapy. *Br J Occup Ther*. 2006;69(11):513–24.
10. Doherty G, Stagnitti K, Schoo AMM. From student to therapist: Follow up of a first cohort of bachelor of occupational therapy students. *Aust Occup Ther J*. 2009;56(5):341–9.
11. Phillips C, Kenny A, Esterman A, Smith C. Nurse Education in Practice A secondary data analysis examining the needs of graduate nurses in their transition to a new role. *Nurse Educ Pract* [Internet]. 2014;14(2):106–11. Available from: <http://dx.doi.org/10.1016/j.nepr.2013.07.007>.
12. Hummell J, Koelmeyer L. New graduates: Perceptions of their first occupational therapy position. *Br J Occup Ther*. 1999;62(8):351–8.
13. Melman S, Ashby SE, James C. Supervision in Practice Education and Transition to Practice: Student and New Graduate Perceptions. *Internet J Allied Heal Sci Pract*. 2016;14(3).
14. Moores A, Fitzgerald C. New graduate transition to practice: How can the literature inform support strategies? *Aust Heal Rev*. 2017;41(3):308–12.
15. Regan S, Wong C, Laschinger HK, Cummings G, Leiter M, Macphee M, et al. Starting Out: qualitative perspectives of new graduate nurses and nurse leaders on transition to practice. *J Nurs Manag*. 2017;246–55.
16. Awaisi H, Al, Cooke H, Pryjmachuk S. The Experiences of Newly Graduated Nurses during their First Year of Practice in the Sultanate of Oman, A case study. *Int J Nurs Stud* [Internet]. 2015; Available from: <http://dx.doi.org/10.1016/j.ijnurstu.2015.06.009>.
17. Lee S, Mackenzie L. Starting out in rural new south wales: the experiences of new graduate occupational therapists. *Aust J Rural Heal*. 2003;36–43.
18. Opoku EN, Niekerk L, Van. Khuabi L-AJ-N. Exploring the factors that affect new graduates ' transition from students to health professionals: a systematic integrative review protocol. *BMJ Open*. 2020;10(8):1–5.
19. Whittemore R, Knafl K. The integrative review: updated methodology. *Methodol issues Nurs Res*. 2005;52(5):546–53.
20. Uys ME, Buchanan H, Niekerk L, Van. Strategies occupational therapists employ to facilitate work-related transitions for persons with hand injuries: a study protocol for a scoping review. *BMJ Open*. 2019;9:1–7.

21. Maguire M, Delahunt B. Doing a Thematic Analysis: A Practical, Step-by-Step Guide for Learning and Teaching Scholars. *ALSHE-J*. 2017;8(3).
22. O'Shea M, Kelly B. The lived experiences of newly qualified nurses on clinical placement during the first six months following registration in the Republic of Ireland. *J Clin Nurs*. 2007.
23. Abualrub RF, Abu Alhaija'a MG. Perceived benefits and barriers of implementing nursing residency programs in Jordan. *Int Nurs Rev*. 2018;00(000–000):1–9.
24. Mostrom E, Black LL, Perkins J, Hayward L, Ritzline PD, Blackmer B, et al. The First Year of Practice: An Investigation of the Professional Learning and Development of Promising Novice Physical Therapists. *Phys Ther*. 2010;90(12):1758–73.
25. Brennan N, Corrigan O, Allard J, Archer J, Barnes R, Bleakley A, et al. The transition from medical student to junior doctor: today ' s experiences of Tomorrow ' s Doctors. *Med Educ*. 2010;(44):449– 58.
26. Casey K, Fink R, Krugman M, Propst J. The Graduate Nurse Experience. *J Nurs Adm*. 2004;34(6):303– 11.
27. Mangone N, King J, Croft T, Church J. Group debriefing: An approach to psychosocial support for New Graduate Registered Nurses and Trainee Enrolled Nurses. *Contemp Nurse*. 2016;6178(March).
28. Nour V, Williams AM. “ Theory Becoming Alive ”: The Learning Transition Process of Newly Graduated Nurses in Canada. *Can J Nurs Res*. 2018;0(0):1–8.
29. Reynolds EK, Cluett E, Le-may A. Fairy tale midwifery — fact or fiction: The lived experiences of newly qualified midwives. *Br J midwifery*. 2014.
30. Tastan S, Unver V, Hatipoglu S. An analysis of the factors affecting the transition period to professional roles for newly graduated nurses in Turkey. *Int Nurs Rev*. 2013;405–12.
31. Toal-sullivan D. New Graduates ' Experiences of Learning to Practise Occupational Therapy. *British journal of Occupationla therapy*. 2006;Vol. 69:513– 24 p.
32. Tryssenaar J. The Lived Experience of Becoming an Occupational. Therapist. *Br J Occup Ther*. 1999;62(March).
33. Wangenstein S. The first year as a graduate nurse – an experience of growth and development. *J Clin Nurs*. 2008;1877–85.
34. Zinsmeister LB, Schafer D. The Exploration of the Lived Experience of the Graduate Nurse Making the Transition to Registered Nurse During the First Year of Practice. *J Nurses Staff Dev*. 2009;25(1):28– 34.
35. Bearman M, Lawson M, Jones A. Participation and progression: new medical graduates entering professional practice. *Adv Heal Sci Educ*. 2011;16:627–42.
36. Seah CH, Mackenzie L, Gamble J. Transition of graduates of the Master of Occupational Therapy to practice. *Aust Occup Ther J*. 2011;58(2):103–10.


## Figures






**Figure 1**

Stages of Whittemore and Knafl's Methodological Framework (19)




**Figure 1**

Stages of Whittemore and Knafl's Methodological Framework (19)




**Figure 2**

PRISMA flow chart of study selection.




**Figure 2**

PRISMA flow chart of study selection.



**Figure 3**

Themes and sub-themes derived from data analysis.



**Figure 3**

Themes and sub-themes derived from data analysis.