

# How a Sample of English Stop Smoking Services and Vape Shops Adapted During the Early Covid-19 Pandemic: a Mixed-methods Cross Sectional Survey

Sharon Cox (✉ [s.cox@ucl.ac.uk](mailto:s.cox@ucl.ac.uk))

London South Bank University <https://orcid.org/0000-0001-8494-5105>

Emma Ward

University of East Anglia Faculty of Medicine and Health Sciences

Louise Ross

NCSCT

Caitlin Notley

University of East Anglia

---

## Research

**Keywords:** vape shops, Covid-19, pandemic, smoking cessation, stop smoking services

**Posted Date:** February 5th, 2021

**DOI:** <https://doi.org/10.21203/rs.3.rs-184310/v1>

**License:**  This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

---

# Abstract

**Background:** The early 2020 Covid-19 outbreak in England led to major changes in delivery of support via stop smoking services (SSS) and to the widespread temporary closure of bricks and mortar e-cigarette retailers, indicating serious disruption to the overall level of support available for smokers trying to quit. At the same time, there was a publicised public health campaign calling for smokers to 'Quit for Covid'. The impact of disruptions across the smoking cessation support landscape has not been fully documented. The purpose of this study was to capture how SSS and vape shops in England were affected and adapted their 'business as usual' during the early months of Covid-19 outbreak.

**Method:** An online cross-sectional survey was conducted between March-July 2020. Surveys were disseminated through online networks, professional forums and contacts. Open-ended qualitative responses were coded using thematic analysis.

**Results:** SSS were able to adapt during this period. A high percentage (74.6%) of vape shops had to close and were unable to make changes; 71.2% report business declining. For both services qualitative data revealed practical challenges to adapting, but also new pathways to support and co-working.

**Conclusion:** The closure of vape shops appears to have most impacted smaller bricks and mortar shops affecting businesses by decline in customers and impacting staff (furlough). For those services that could stay open there may be lessons learned in how to support vulnerable and disadvantaged smokers by considering new pathways to support.

## Introduction

There is now emerging evidence from a living systematic review that smokers may be at greater risk of severe illness if they contract SARS-Cov-2(1) (Covid-19 herein). Recent evidence from a population survey clearly demonstrates that smokers are more likely to suffer a greater number of Covid-19 symptoms if infected, and more likely to be admitted to hospital as result of severe symptomatology(2). There is also some evidence of socioeconomic disparities in which smokers without post-16 qualifications are likely to become infected and less likely to adhere or be able to adhere to infection control guidance (3). Smokers also report being more concerned than non-smokers about being infected (3). In the early months of outbreak this led to several high-profile public health campaigns targeted at smokers urging them to 'Quit for Covid'. It is estimated that since the start of the virus there have been over one million smokers making a quit attempt (an estimated additional 440,000) in Great Britain (4). However, social distancing and lockdown measures meant that the English NHS Stop Smoking Services (SSS), which offer the 'gold standard' treatment of combined behavioural and pharmacotherapy support (5), faced the unusual challenge of how to respond to the increased demand. At the same time, e-cigarettes were not deemed by Her Majesty's Government essential items, and vape shops had to close. E-cigarettes are now the leading preferred choice for smokers making a quit attempt in England (6), and there is growing evidence for their efficacy in trials (7). Given this, it is a fair assumption that many smokers engaging in a quit attempt

during the Covid-19 pandemic would opt for an e-cigarette. Given the swiftly altered landscape of smoking cessation support, across both NHS SSS and less formal routes to support, such as vape shops, the purpose of this study was to capture, at the time, how SSS and vape shops in England adapted their 'business as usual' during the early months of the Covid-19 outbreak.

A recently published survey of local authorities in Great Britain by Action on Smoking and Health (ASH) (8), shows that at the time of survey (August-September 2020, 5-months after the first national lockdown was announced), just 18% of SSS were offering face-to-face support but this was supplemented by 98% offering telephone consultations and ~ 60% offering online video support. The report highlights that the flexibility of this support was welcomed by patients. Furthermore, the report highlights that the majority of services (59%) adapted service delivery for those patients recorded as vulnerable. We extend these findings here and triangulate this data with our own findings and by including a snapshot of how e-cigarette retailers were also affected during early lockdown.

Vape shops were required to close in the UK. E-cigarettes were not deemed essential items and by law of the UK government, non-essential shops were required to close. For context, people could still purchase tobacco and e-cigarettes and liquids (often tobacco industry manufactured) from convenience stores and supermarkets. Although many vape shops have established online markets which were able to stay open, many smaller, locally based 'bricks and mortar' shops do not.

Smoking is more frequently observed in disadvantaged and vulnerable populations (9, 10), as well as those vulnerable to Covid-19 infection because of respiratory health comorbidities e.g., Chronic Obstructive Pulmonary Disease (COPD). Because many of these adults were advised by the government to shield or to isolate with minimal contact with others outside their homes, this would have presented both SSS and vape shops aiming to support these smokers with unique and unprecedented challenges.

The primary aim of this study was to survey how those working within front-line NHS and local authority commissioned SSS and vape shops adapted during the early Covid-19 pandemic (defined here as March 2020 – July 2020), and to document what changes were made to usual practice. A further aim was to document how the needs of vulnerable smokers, defined as those within the shielded list or with health and social needs that make them vulnerable to Covid-19, were being met during this period and to identify potential new ways of delivering services.

## Methods

*Design and setting:* A cross-sectional online survey in England conducted between March and July 2020.

*Registration:* This study was preregistered on the Open Science Framework ([https://osf.io/b3xcy/\(11\)](https://osf.io/b3xcy/(11))).

*Ethical approval:* Ethical approval was received from University of East Anglia REF: 2019/20-133.

*Participants:* 52 individual responses from SSS and 70 vape shops started the survey; after discounting incomplete responses (with >5% of missing data) 46 SSS and 59 vape shops were included. Table 1

presents the percentage of services across English regions.

*Procedure and measures:* Both surveys were advertised by SC and CN online (Twitter/Facebook). The survey for SSS was also sent out by email to tobacco control and policy stakeholder contacts and disseminated through smoking cessation service networks. The vape shops survey was distributed through a list of vape retailer contacts. The Planet of the Vapes, a Vape website for consumers and businesses, also advertised the survey.

The surveys were run online using Qualtrics XM software. Once participants had consented, they were asked to complete the survey. We asked for only one response per business/service to avoid duplication. Participants were asked only to complete the survey if they had full knowledge of how Covid-19 had impacted their service. The survey was a mix of both multiple choice, and open text items. Open text responses allowed for people to explain in greater detail the processes and changes they had made (surveys used can be found at (11)). Upon completion participants were thanked for their responses and debriefed.

*Analyses:* Quantitative data are presented as descriptive statistics. There were no planned comparisons. The open text questions were analysed using inductive thematic analysis led by CN (12), with verification of coding and further analysis by EW.

## Results

Table 1 presents the quantitative data from the survey. There are several key findings in relation to our primary aim.

### *Staying open in some capacity and adapting the 'business as usual' service:*

The results show that SSS were likely to stay open in some capacity, even if only offering initially a telephone based remote service. SSS furloughed very few staff; this is likely to reflect the ability of SSS to be able to continue with the support of the local authorities. All surveyed SSS made changes to service delivery.

A high percentage of vape shops were impacted by the lockdown, see Table 1 (and have remained closed in further lockdowns), with the majority reporting business had declined (Figure 1 shows how business was impacted by type of vape business.). Of the vape shops that were able to stay open 'in some capacity', these were online retailers (though one said they could not) and business was the same or doing better. Of those that closed 77.3% were bricks and mortar vape shops, either independent, part of a local chain of stores, and 20.5% were part of national chain. As predicted, vape shops furloughed a high percentage of staff; Figure 2 presents the average number of staff furloughed by vape business type, as can be seen, smaller single vape shops reported business being worse than usual and furloughing a higher number of staff.

A high percentage of both SSS and vape shops reported adapting their service for the needs of people who smoke who were deemed especially vulnerable (Table 1). However, only a small percentage reported working with other agencies or organisations. Both SSS and vape shops report an extra cost involved in implementing new changes.

### *Qualitative findings*

#### **Practical arrangements**

Both vape shops (that were able to react) and SSS responded to the immediate pandemic crisis by implementing practical changes to service delivery, for example, offering remote telephone consultations for cessation support, and providing no contact 'click and collect' purchasing services for vape supplies via telephone as well as online orders (shops):

*"We made contact-free daily home deliveries and sanitised products before sealing them in packages. We also provided (and always have) text, telephone and Facebook support whenever needed. We also provided free of charge, hand sanitiser if requested, and brought food supplies to those who could not get items themselves."* (Vape shop)

SSS responded quickly by supplying longer than usual prescriptions of stop smoking medication, particularly for vulnerable clients and those self-isolating. Deliveries of stop-smoking products were also arranged by some services, and similarly some vape shops offered a delivery service to customers who were self-isolating or shielding – however noting that this arrangement created extra financial costs for either the customer (if passed on) or the business.

#### **New Pathways**

Both SSS and vape shops adopted some innovative practices in response to the pandemic. SSS offered video conferencing meetings and appointments, and some even attempted group support delivered using video conferencing. A major service change brought about as a result of infection control measures was the abrupt stopping of all Carbon Monoxide (CO) monitoring. In response to this, SSS developed innovative ways of checking in with existing clients to establish smoking status:

*"No CO monitoring so we have used a breathing challenge identifying how long they can breathe in and out and hold and working to improving their lung capacity"* (SSS)

Some SSS staff were redeployed to deliver food parcels and medication within the community and took advantage of being able to make ad hoc 'welfare checks' to make contact with people who might be isolated. These ad hoc checks sometimes resulted in quit attempts that may not otherwise have been planned. Some SSS also described new pathways for joint working with vape shops to offer remote support for clients attempting to quit and stay quit from smoking. Equally, vape shops also described working with SSS, with some organising remote online seminars to explain products to SSS staff. Taking an innovative approach, some vape shops described using Facebook messenger or WhatsApp to send

photos of devices to customers to explain processes such as how to use devices and how to change components.

### **Feedback from clients/customers**

When asked about feedback from clients, both SSS and vape shops overwhelmingly reported that they had had positive feedback. Customers understood the difficult times, and the need for shop closures or remote support offers. They were hugely appreciative that services were able to continue to support them, and in the case of shops, to supply e-cigarette consumables, despite the challenges. Some customers actually preferred remote support, finding it convenient not having to travel to appointments or to make purchases. Others were extremely grateful for service continuation while they were having to self-isolate or shield:

*“Patients are so grateful that we care about them during the pandemic and I personally have learnt so much more about them their lives and interests than I normally would of.” (SSS)*

Vape shops commented that remote provision was critical for enabling clients to remain smokefree, but also drew attention to the mismatch between tobacco being available to purchase through ‘essential’ shops that remained open. Vape supplies were harder to purchase due to shop closures, as vape shops were deemed ‘non-essential’. There was real concern that clients may have relapsed to smoking as a direct result of this anomaly:

*“Many of our regular customers went back to smoking due to the easier availability of cigarettes when shops were closed and online delivery was chaotic across the country. Devices don't sell much online as people need the advice and personal consultation.” (Vape shop)*

### **Implementation of long-term changes**

Both SSS and vape shops talked positively about changes that had been implemented that would be continued in the long term, including remote support provision, click and collect and online purchasing options, and the use of video conferencing for staff training, meetings and client support. Positively, there was also discussion of continued joint working between vape shops and SSS:

*“Ongoing efforts to strive to work better with smoking cessation stakeholders.” (SSS)*

It was noted that there was an increased desire and willingness to promote digital support options for behaviour change, such as apps.

## **Discussion**

The overall landscape of smoking cessation support changed substantially during the early phases of the Covid-19 pandemic. SSS quickly switched to remote service provision; and many vape shops without an online market were forced to close completely, but some were able to adapt by offering click and collect

or delivery services for vape supplies. Overall, vape shops were more negatively impacted than SSS as evidenced by reports of business being worse than usual and furloughing staff. E-cigarettes not being deemed essential products appears to have impacted small independent shops in particular, who report struggling to adapt. Simultaneously evidence suggests that there was a surge of interest in smoking cessation (4), unfortunately implying that as more of the population were attempting to quit smoking, the support available to them both through NHS routes and less formal but popular routes, such as vape shops, was diminished.

There were many positive reported examples of good practice – SSS staff were able to offer remote appointments and engage in online training. Vape shops, particularly those connected to larger chains with a more secure infrastructure, were able to offer remote delivery options and also were able to use video conferencing software to explain products to customers; this is similar to what was reported in a report of SSS by ASH (8). For SSS staff there were redeployments to other areas of public health need, but our data positively demonstrate examples of how this enabled them, with their training, to identify people willing to quit and to promote smoking cessation at given opportunities.

Also positively, it was evident that both SSS and vape shops made particular efforts to meet the needs of vulnerable smokers. Delivery options were offered to the clinically vulnerable or those having to self-isolate. Many of the extra measures came with an additional cost, with smaller vape shops reporting having to pass this on to customers with 'low value' orders. E-cigarette use has increased in all >1 year smokers in England, however analysis by Kock et al (13) shows that use is highest amongst the most disadvantaged social grades (routine and manual). Thus, speculatively, the burden of taking on extra costs may not be evenly distributed across all social gradients. Furthermore, small independent vape shops are often located in the most deprived communities(14). This suggests that a valuable community smoking cessation asset was lost to some populations most at risk of continued smoking, and most susceptible to the worst impacts of the Covid-19 pandemic, just at a time when support was perhaps most wanted and needed. It is also a distinct possibility that recent quitters may have relapsed to tobacco smoking, as a more accessible way of using nicotine during lockdown than vaping. This unintended consequence of compulsory vape shop closures is a clear example of how sweeping population measures can have grave impacts for already disadvantaged communities, and how pandemic policy measures may serve to widen health inequalities.

This study was limited by the brief cross-sectional nature of the data. The survey was targeted at SSS and vape shops across England and offers a 'snapshot', but the sample are self-selecting as only those motivated to complete the survey would have replied. It is likely therefore that the survey highlights particularly good practice or negative consequences and may miss the 'standard response' that may not have been deemed worthy of reporting back via a survey. Similarly, the qualitative data are illuminating and informative, but descriptive and limited by possible selection bias. Clearly there is a need to monitor smoking cessation service delivery, both through formal commissioned routes, and less formal community assets, as the pandemic continues. There is also a need to triangulate the self-report and

qualitative data reported here with larger epidemiological data as it becomes available, and with both tobacco and e-cigarette sales data over the time of the pandemic.

The landscape of smoking cessation support has changed and adapted during the Covid-19 pandemic. There are clear positive innovations that services may wish to continue to implement, such as outreach support, delivery services, and remote support via phone or video calls. There are also clear negatives that we must learn from. Vape shops offer a community based, less formal, route to smoking cessation and the support offered is often based within deprived communities. It is vital that vape shops for future lockdowns are deemed essential services so that they may continue to provide community-based support where it is needed most. As we move towards the 'tobacco endgame' of a smoke free 2030, we need to think, encourage and commission innovatively and creatively, to support community-based assets accessing the hardest to reach smokers, pushing intervention beyond the medical model of treatment seeking.

## **Declarations**

### **Ethics approval and consent to participate**

Ethical approval was received from University of East Anglia REF: 2019/20-133.

### **Consent for publication**

All authors consent to participate and approve the final manuscript.

### **Availability of data and materials**

The datasets used and/or analysed during the current study are available from the corresponding author on reasonable request.

### **Competing interests**

SC has provided expert consultancy to providers of UK life insurance and the pharmaceutical industry on matters relating to smoking cessation aids. LR works for the Smoke Free app, is a clinical consultant for the NCSCT and is Vice Chair and mental health lead for the New Nicotine Alliance. EW and CN have no competing interests to declare.

### **Funding**

No specific funding was sought for this survey. SC receives salary support from Cancer Research UK (C1417/A22962).

### **Authors contributions**

SC and CN conceptualised the study. All authors developed the survey. SC and CN advertised the study. EW curated the data. SC, CN and EW analysed the data. SC wrote the first draft. All authors contributed to the final draft.

## Acknowledgements

Thanks to colleagues at ASH for their feedback on the original draft of the surveys used.

## References

1. Simons D, Shahab L, Brown J, Perski O. The association of smoking status with SARS-CoV-2 infection, hospitalization and mortality from COVID-19: a living rapid evidence review with Bayesian meta-analyses (version 7). *Addiction* [Internet]. 2020 Nov 17 [cited 2021 Jan 18];add.15276. Available from: <https://onlinelibrary.wiley.com/doi/10.1111/add.15276>
2. Hopkinson NS, Rossi N, El-Sayed\_Moustafa J, Lavery AA, Quint JK, Freidin M, et al. Current smoking and COVID-19 risk: results from a population symptom app in over 2.4 million people. *Thorax* [Internet]. 2021 Jan 5 [cited 2021 Jan 18];thoraxjnl-2020-216422. Available from: <https://thorax.bmj.com/lookup/doi/10.1136/thoraxjnl-2020-216422>
3. Jackson SE, Brown J, Shahab L, Steptoe A, Fancourt D. COVID-19, smoking and inequalities: a study of 53 002 adults in the UK. *Tob Control* [Internet]. 2020 Aug 21 [cited 2021 Jan 18];tobaccocontrol-2020-055933. Available from: <https://tobaccocontrol.bmj.com/lookup/doi/10.1136/tobaccocontrol-2020-055933>
4. A million people have stopped smoking since the COVID pandemic hit Britain [Internet]. Action on Smoking and Health and UCL; 2020 Jul [cited 2021 Jan 18]. Available from: <https://ash.org.uk/media-and-news/press-releases-media-and-news/pandemicmillion/>
5. Local Stop Smoking Services: Service and delivery guidance 2014. [Internet]. National Centre for Smoking Cessation Training.; 2014 [cited 2020 Aug 1]. Available from: [https://www.ncsct.co.uk/publication\\_service\\_and\\_delivery\\_guidance\\_2014.php](https://www.ncsct.co.uk/publication_service_and_delivery_guidance_2014.php).
6. West R, Beard, Emma, Kale D, Jamie Brown. Trends in electronic cigarette use in England. Update 3rd July 2020. [Internet]. Smoking Toolkit Study; 2020. Available from: <http://www.smokinginengland.info>
7. Hartmann-Boyce J, McRobbie H, Lindson N, Bullen C, Begh R, Theodoulou A, et al. Electronic cigarettes for smoking cessation. Cochrane Tobacco Addiction Group, editor. *Cochrane Database Syst Rev* [Internet]. 2020 Oct 14 [cited 2020 Dec 15]; Available from: <http://doi.wiley.com/10.1002/14651858.CD010216.pub4>
8. Stepping up: The response of stop smoking services in England to the COVID-19 pandemic. [Internet]. Action on Smoking and Health and Cancer Research UK.; 2021 [cited 2020 Jan 11]. Available from: <https://ash.org.uk/wp-content/uploads/2021/01/ASH-CRUK-Stepping-Up-FINAL.pdf>

9. Di Cesare M, Khang Y-H, Asaria P, Blakely T, Cowan MJ, Farzadfar F, et al. Inequalities in non-communicable diseases and effective responses. *The Lancet* [Internet]. 2013 Feb [cited 2020 Nov 3];381(9866):585–97. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S0140673612618510>
10. Jha P, Peto R, Zatonski W, Boreham J, Jarvis MJ, Lopez AD. Social inequalities in male mortality, and in male mortality from smoking: indirect estimation from national death rates in England and Wales, Poland, and North America. *The Lancet* [Internet]. 2006 Jul [cited 2020 Oct 5];368(9533):367–70. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S0140673606689757>
11. Cox, Sharon, Ward, Emma, Notley, Caitlin. A cross sectional survey of how smoking cessation services and vape shops are adapting usual service during Covid-19. 2021 [cited 2021 Jan 19]; Available from: <https://osf.io/b3xcy/>
12. Braun V, Clarke V. Thematic analysis. In: Cooper H, Camic PM, Long DL, Panter AT, Rindskopf D, Sher KJ, editors. *APA handbook of research methods in psychology, Vol 2: Research designs: Quantitative, qualitative, neuropsychological, and biological* [Internet]. Washington: American Psychological Association; 2012 [cited 2021 Jan 19]. p. 57–71. Available from: <http://content.apa.org/books/13620-004>
13. Kock L, Shahab L, West R, Brown J. E-cigarette use in England 2014-17 as a function of socio-economic profile: E-cigarette use by socio-economic status. *Addiction* [Internet]. 2019 Feb [cited 2020 Sep 27];114(2):294–303. Available from: <http://doi.wiley.com/10.1111/add.14446>
14. Thirlway F. The struggle for the vape industry; the view from the ground [Internet]. 2020 Dec [cited 2020 Dec 10]; E-cigarette Summit, virtual conference. Available from: <https://www.e-cigarette-summit.co.uk/programme/>

## Tables

Table 1  
Descriptive characteristic and survey response

	Stop smoking service(SSS) n = 46 %	Vape shops n = 59 %
	Stop smoking services (SSS) n = 46 %	Vape shops n = 59 %
<b>Region</b>		
South England	47.9	54.2
North of England	39.1	23.8
Midlands	13	22
<b>Able to stay open in some capacity?</b>		
Yes, but with changes	76.1	22
Yes, no changes	19.7	3.4
No	4.3	74.6
<b>Did your service/business furlough any staff?</b>		
No	93.5	20.3
Yes	6.5	79.7
<i>Number of staff furloughed vape shops only(range):</i>	-	1–250
<b>Did your service/business make any changes to business as usual?</b>		
No	-	5.1
Yes	100	94.9
<b>Vape shops only: What best describes the health of your business?</b>		
Business has declined		71.2
Business is doing better		6.8
Business is more or less the same		5.1
Part or all of my business is at risk of closure		5.1
Not answered		16.8

\*SSS n = 44, Vape shops = 21: \*SSS n = 30, Vape shops n = 20. Furlough refers to the UK government Covid-19 job retention scheme, allowing employers to suspend employment in the absence of work with a government salary subsidy.

	Stop smoking service(SSS) n = 46 %	Vape shops n = 59 %
<b>Special arrangements in place for vulnerable smokers?</b>		
No	71.7	28.8
Yes	28.3	35.6
Unsure	-	15.3
Not answered	-	20.3
<b>Started to work with other organisations?</b>		
No	84.8	96.6
Yes	15.2	3.4
<b>Cost involved in these extra measures?<sup>+</sup> (for those who stayed open)</b>		
No	6.8	57.1
Yes	36.4	42.9
Unsure (unable to answer) or not applicable	58.4	14.3
<b>Considering implementing these new changes in the longer term?*</b>		
No	20	60
Yes	80	40
<p><sup>+</sup>SSS n = 44, Vape shops = 21: *SSS n = 30, Vape shops n = 20. Furlough refers to the UK government Covid-19 job retention scheme, allowing employers to suspend employment in the absence of work with a government salary subsidy.</p>		

Table 2a

## Open ended responses – qualitative coding – vape shops

VAPE SHOPS	Theme/s	Example
<p>What <b>arrangements</b> did you put in place for vulnerable smokers?</p>	<p>Distancing measures in shop</p> <p>PPE</p> <p>Increased information for customers e.g. online/telephone consultations</p> <p>Safe remote delivery</p> <p>Telephone support</p> <p>Longer remote contact hours</p> <p>Increased online range</p> <p>Partnership with social care</p> <p>Safe collection from shop</p> <p>Extra costs for: webhosting/paypal</p> <p>PPE/cleaning products</p> <p>Petrol/car insurance for delivery</p> <p>Postage</p> <p>Charitable donations for social care partnership</p> <p>Low value delivery</p> <p>Some had no extra costs as systems already in place</p>	<p>“We made contact-free daily home deliveries and sanitised products before sealing them in packages. We also provided (and always have) text, telephone and Facebook support whenever needed. We also provided free of charge, hand sanitiser if requested, and brought food supplies to those who could not get items themselves.”</p>
<p>We are trying to identify <b>new pathways</b> to good practice, please</p>	<p>Same day home delivery</p> <p>Local pick up service</p> <p>Zoom webinar for smoking cessation</p>	<p>“We have stopped offering testers, as even with the hygiene tips they are handheld devices and could increase risk of a virus spreading.”</p>

<p>tell us anything that has worked for you</p>	<p>counsellors/practitioners to demystify e-cigarettes.</p> <p>Click and collect</p> <p>Keeping upbeat for shielders</p> <p>Facebook messenger to exchange photos so could advise on device consumables</p> <p>Extra care and attention paid to regular shielding customers</p> <p>The above expanding on the arrangements above</p> <p>No testers (negative)</p> <p>Limits to numbers in shop</p>	
<p>Have you had any <b>feedback</b> from customers about the service change (please briefly outline)</p>	<p>Customer satisfaction (both informally and google reviews, the latter good for business)</p> <p>Smoking relapse prevention <i>but also</i></p> <p>Smoking relapse</p> <p>Business growth</p> <p>Delays to delivery</p> <p>Staff and customers found it hard to get to grips with new online working</p>	<p>“Customers appreciated the same day delivery but could not understand why we were not classed as an essential service.”</p> <p>“Some customers who used the Local Pickup Service have told us that it stopped them from buying cigarettes.”</p> <p>“Absolutely. We have had countless 5-star Google and Facebook reviews during and after lockdown, all of which were positive. It has helped our business grow and has motivated the staff to continue to provide the best service possible to all our customers”</p> <p>“Many of our regular customers went back to smoking due to the easier availability of cigarettes when shops were closed and online delivery was chaotic across the country. Devices don't sell much online as people need the advice and personal consultation.”</p>
<p>Are you considering implementing any of <b>changes</b> that you made during Covid-19 in the longer-term? - Yes. Please tell us: - Text</p>	<p>Maintain e-commerce</p> <p>Keep local pickup option</p> <p>Keep local delivery service</p> <p>Coordinated efforts</p> <p>Shop closure</p>	<p>“Ongoing efforts to strive to work better with smoking cessation stakeholders.”</p> <p>“We are planning on going fully online with no shop front due to recession fears and a second spike”</p>




Table 2b

## Open ended responses – qualitative coding – stop smoking services (SSS)

SSS	Theme/s	Example
<p>What <b>arrangements</b> did you put in place for vulnerable smokers?</p>	<p>SMS support</p> <p>Longer prescriptions</p> <p>Posting prescriptions/prescription collection</p> <p>Telephone consultations</p> <p>App</p> <p>Partnerships with vape industry (e.g. wholesalers, vape shops)</p> <p>Collaborations with drug/mental health services</p> <p>Costs:</p> <p>Postal/mileage delivery costs</p> <p>App licence costs</p> <p>Extra IT equipment for staff</p> <p>BUT savings on venue and staff millage</p>	<p>“For those who were self isolating we either arranged for their pharmacy to post products to them or we advised the client to join the 'Good Sam' app and a volunteer would pick up their products.</p> <p>We also arranged for those who were self isolating but who wanted Champix for the appendix 1 of the PGD to be completed by the pharmacist over the phone.</p> <p>2 vouchers which is equal to a months supply of product were posted to clients so they didn't have to go to pharmacies as many times and stand in long queues.”</p>
<p>We are trying to identify <b>new pathways</b> to good practice, please tell us anything that has worked for you</p>	<p>Telephone consultations</p> <p>Welfare checks and opportunistic smoking cessation</p> <p>Joint working with vape shop</p> <p>Peer group support on teams</p> <p>Staff meetings/training on zoom</p> <p>Webinar training sessions for other HCPs</p> <p>Alternative to CO testing</p>	<p>“We have the same quit conversion rate at 4 weeks as face to face consultations. A key factor is possibly client's do not miss many appointments, making it more likely they will quit even without the perceived benefit of face to face.</p> <p>Clients get a quit guide and top tips in the post when they set a quit date, this was hit and miss before and dependant on the advisor. Similarly, at the 12 week quit point they get a certificate, staying quit guide, evaluation form and sae which before was very hit and miss. We are now receiving a beneficial amount of evaluation forms back.”</p> <p>“about half of our small team were redeployed to make welfare checks and were involved in emergency food parcel deliveries. We used the opportunity when speaking to people seeking stop smoking support to check they had access to food and basic necessities and referred them for emergency help if necessary.”</p>


	<p>Clients missing less appointments/completing more paperwork</p> <p>Social media recruitment successful</p> <p>Redeployment to welfare roles provided new opportunity to reach clients</p>	<p>“No CO monitoring so we have used a breathing challenge identifying how long they can breathe in and out and hold and working to improving their lung capacity”</p>
<p>What has been difficult about delivering the service remotely?</p>	<p>No CO monitoring</p> <p>Dealing with client emotional issues.</p> <p>Impact on rapport</p> <p>Demands from commissioners</p> <p>Difficulty engaging pregnant women</p> <p>IT issues</p> <p>Demands on resources e.g. more demand &amp; less staff, missing calls, constant calls, long calls, IT issues working from home, confidentiality issues working from home</p>	<p>“Advisors missed the relationship and face to face interaction. No Co monitoring as no face to face so had to take clients word about staying quit and motivation of seeing CO reading go down to non smoker used to be a good talking point and motivation for clients.”</p> <p>“The pregnancy side has proved more difficult, more women declining the midwives, possibly due to no co screening or maybe its just easier to say no via phone. It could be a training need for midwives.”</p>
<p>Have you had any <b>feedback</b> from customers about the service change (please briefly outline)</p>	<p>More convenient than face to face</p> <p>Checking in with shielding clients</p> <p>Appreciation of service adapting to remote contact</p> <p>Increased rapport</p>	<p>“being in lockdown has helped some people to avoid other smokers.”</p> <p>“the regular contact has been valuable to them and often a comfort that someone is looking out for them”</p> <p>“Patients are so grateful that we care about them during the pandemic and I personally have learnt so much more about them their lives and interests than I normally would of.”</p>
<p>Are you considering implementing any of <b>changes</b> that you made during Covid-19 in the longer-term? - Yes. Please tell us: - Text</p>	<p>More virtual clinics</p> <p>Implementation of smokefree app</p> <p>Continue telephone support</p>	

# Figures



**Figure 1**

Response to how is business doing by type of e-cigarette retailer



**Figure 2**

Average number of staff furloughed by type of e-cigarette retailer