The impact of IGF1R SNPs on susceptibility to age-related cataract

CURRENT STATUS: POSTED

Yilei Cui

Zhejiang University School of Medicine Second Affiliated Hospital

Xiaoning Yu

Zhejiang University School of Medicine Second Affiliated Hospital

Xin Zhang

Zhejiang University School of Medicine Second Affiliated Hospital

Yelei Tang

Zhejiang University School of Medicine Second Affiliated Hospital

Xiajing Tang

Zhejiang University School of Medicine Second Affiliated Hospital

Hao Yang

Zhejiang University School of Medicine Second Affiliated Hospital

Xiyuan Ping

Zhejiang University School of Medicine Second Affiliated Hospital

Jing Wu

Zhejiang University School of Medicine Second Affiliated Hospital

Qinchuan Yin

Zhejiang University School of Medicine Second Affiliated Hospital

Jiayue Zhou

Zhejiang University School of Medicine Second Affiliated Hospital

Xiayan Xu

Zhejiang University School of Medicine Second Affiliated Hospital

Xingchao Shentu

Eye center of the Second Hospital, Medical School of Zhejiang University

✉ stxc@zju.edu.cn *Corresponding Author*
ORCID: <https://orcid.org/0000-0002-8563-7419>

DOI:

10.21203/rs.2.10958/v2

SUBJECT AREAS

Ophthalmology

KEYWORDS

Insulin-like growth factor-1 receptor; Age-related cataract; Single nucleotide polymorphism.

Abstract

The authors have withdrawn this preprint from Research Square