

Table 1: Demographic Characteristics and Clinical Data

	CAL group	No-CAL group	<i>P value</i>
Number	238	515	
Age(month)	17.4 (10.2-30.0)	24.4 (14.1-40.5)	<0.001
Sex			
Male	161(67.6%)	310(60.2%)	0.049
Female	77(32.4%)	205(39.8%)	
Clinical Feature			
Fever	237(99.6%)	507(98.5%)	0.183
Oral changes	205(85.5%)	484(93.8%)	<0.001
Conjunctivitis	209(88.0%)	463(89.6%)	0.390
Rash	184(77.3%)	396(76.9%)	0.899
Extremity changes	168(70.5%)	377(72.9%)	0.455
Lymph	66(28.2%)	204(39.9%)	0.002
KD type			
Typical KD	136(57.1%)	334(64.9%)	0.042
Atypical KD	102(42.9%)	181(36.0%)	
IVIG treat time(days)	6.0(5.0-7.0)	6.0(5.0-7.0)	0.621
IVIG treat			
2g/kg*day	229(96.2%)	472(91.7%)	0.048
1g/kg*day	3(1.30%)	11(2.10%)	
Unused	6(2.50%)	32(6.20%)	
IVIG-resistance	36(15.7%)	25(5.20%)	<0.001

Results are given as median (interquartile range) and N(%). KD: Kawasaki disease; IVIG: intravenous immunoglobulin.