

Supplementary Table 1. Number of invited and participating institutes per country.

COUNTRY	INVITED (N)	PARTICIPATING (N)	RESPONSE (%)	TREATING PEDIATRIC PATIENTS (N)
AUSTRIA	1	1	100	1
BELGIUM	4	2	50	2
BULGARIA	1	1	100	1
CYPRUS	1	1	100	1
CZECH REPUBLIC	2	1	50	1
DENMARK	2	2	100	2
ESTONIA	1	1	100	1
FINLAND	2	0	0	0
FRANCE	8	3	37,5	3
GERMANY	5	2	40	2
GREECE	1	1	100	1
ITALY	3	2	66,7	2
NORWAY	1	1	100	1
THE NETHERLANDS	21	16	76,2	7
ROMANIA	2	1	50	1
RUSSIA	2	1	50	1
SLOVENIA	1	1	100	1
SPAIN	2	1	50	1
SWEDEN	1	0	0	0
SWITZERLAND	1	0	0	0
UNITED KINGDOM	8	4	50	4
TOTAL	70	42	60%	33

Supplementary Table 2. Immobilization devices for all treatment sites.

	Brain	CSA	H&N	Thorax	Abdomen	Pelvis	Extremities
	N = 31	N = 28	N = 28	N = 28	N = 29	N = 30	N = 26
	N (%)	N (%)	N (%)	N (%)	N (%)	N (%)	N (%)
Immobilization devices							
<i>Facial mask / head cast</i>	31 (100)	28 (100)	28 (100)	9 (32)	3 (10)	0 (0)	1 (4)
<i>(Partial) body cast</i>	8 (26)	6 (21)	7 (25)	15 (54)	9 (31)	9 (30)	8 (31)
<i>Vacuum cushion</i>	14 (45)	16 (57)	7 (25)	18 (64)	23 (79)	21 (70)	20 (78)
<i>Knee support</i>	22 (71)	16 (57)	17 (61)	18 (64)	19 (66)	23 (77)	19 (73)
<i>Foot support</i>	7 (23)	7 (25)	4 (14)	8 (29)	8 (28)	15 (50)	19 (73)

Institutes frequently indicated to use more than one of the listed devices by selecting more options.

Abbreviations: CSA = craniospinal axis; H&N = head and neck.