

Supplementary Table 3. Sequences of primers used for qRT-PCR

Gene	Primers	Sequence
<i>BmdsxM</i>	BmdsxM-F	CCGCCAACCATGCCACCACTG
	E2E5-R	TGCATCATCCAATAACCTTCG
<i>BmdsxF</i>	BmdsxF-F	AACTCGACACGCCAGAAAATG
	E4E5-R	GCATCATCCAATAACCCATAG
<i>Masc</i>	Masc RT-1F	GCTAAAATTGCTGGGATTGCTA
	Masc RT-1R	CAGCAATCGGAATTTTCTTCTG
<i>Bmnanos</i>	Bmnanos-F	GGATCCCGCTCCAAATAGCA
	Bmnanos-R	ATCGAATAGCGGGTCAGTGC
<i>Bmovo1</i>	Bmovo1-F	GCCCCTTACCGCTCCTTTCG
	Bmovo1-R	ATCGCCTCCAAGAATCGATG
<i>α-tubulin</i>	Tub-alpha-F	CCCGCGAAAAGGACAATACA
	Tub-alpha-R	ACGGTTGTAGGTGGCTGATA
<i>Imp</i>	IMPE7-F1	ATGCGGGAAGAAGGTTTTATG
	IMPE7-R1	TAATGTGAACGGTGGTCACGTG
<i>BxRBP3A</i>	BxRBP3A-F	GATGGAGATACAAGATTACTCC
	BxRBP3A and B-R	ACATCTGCCTGAGGTCATTCTC
<i>AS1</i>	AS1 lncRNA-F	TTCGTA CTGGCTCTCTTCTCGT
	AS1 lncRNA-R	CAAAGTTGATAGCAATTCCT